# COMMERCIAL LIGHT UTILITY VEHICLES



UMRX

YAWA

the second



| UMAX <sup>®</sup> CARS  | PARTS AND ACCESSORIES |
|-------------------------|-----------------------|
| DRIVE <sup>2</sup> CARS | SPECIFICATIONS        |





# HARDWORKING FEATURES YIELD **EFFICIENT RESULTS, DAY AFTER DAY**

## **SEE MORE ONLINE!**

Scan now to watch all the UMAX features in action.



With five color options, four-wheel brakes, luxurious bucket seats, an under-hood storage compartment, and large 20" tires, all with the quietness of an electric car, you can see the difference when power, performance, versatility, and comfort matter.

# **MAXIMIZE YOUR EFFORTS** WITH A UMAX<sup>®</sup> DUMP BED

Featuring an effortless dump bed lock, you can easily unlock the bed for quick unloading. Your maintenance team will also enjoy more volume than ever before with a capacity of 10.4 cubic feet and a max load of 300 lbs in our UMAX One and 12.9 cubic feet and a max load of 800 lbs in our UMAX Two.

STORAGE BIN WITH NO-SLIP MAT 34% larger to keep more valuables in place.







**CONVENIENT SIDE-FILL GAS TANK** Makes for a quick, efficient fill-up.



LUXURIOUS BUCKET SEATS Derived from our award-winning Viking<sup>®</sup> Side-by-Side, you can enjoy a



#### **TILT BED FEATURE**

Easily unlock the bed for quick unloading.

**RECEIVER HITCH** Comes standard on all UMAX and UMAX Rally vehicles. Not available on the Rally<sup>2+2</sup>.

**UNDER-HOOD STORAGE COMPARTMENT** Sizable storage area designed for convenience.

AUTOMOTIVE-STYLE DASH Completely redesigned for today's professional.

| Metallic | Coral Red |
|----------|-----------|
| Metallic | Bluestone |
| Metallic | Evergreen |
| Metallic | Carbon    |
|          | Glacier   |

#### AVAILABLE COLORS

# GET THE JOB DONE WITH PREMIUM POWER AND TORQUE

Our UMAX lineup was expertly designed to get the job done, however big or small. Build your ideal vehicle using our robust range of custom options to ensure you get the most out of your work day.

WITH THE DFK UMAX HARD CAB ENCLOSURE ADD-ON, RIDERS WILL **ENJOY THE CONVENIENCE** AND PROTECTION FROM THE ELEMENTS WITH EASY-OPEN SIDE DOORS.





UMAX ONE AVAILABLE IN GAS

UMAX TWO AVAILABLE IN GAS

AND ELECTRIC





# ALL THE POWER OF YAMAHA IN ONE CAR

The new UMAX Rally<sup>®</sup> features a lifted suspension, 23" tires wrapped around 12" V-window wheels and comes complete with a Yamaha Genuine front brush guard and fender flares. Whether it's for a farm, construction site, warehouse, or campus, the UMAX Rally is another reason why Yamaha is The Easy Choice.™

LARGE 23" **ALL-TERRAIN TIRES** THAT ARE READY FOR TOUGH JOBS.



EQUIPPED WITH A YAMAHA GENUINE BRUSH GUARD







# BUILD YOUR CUSTOM UMAX® WITH VIBRANT COLOR OPTIONS



**BLUESTONE** Metallic



**CORAL RED** Metallic



**CARBON** Metallic



**EVERGREEN** Metallic



GLACIER



hown with optional Yamaha Genuine Acc

12

# A COMFORTABLE RIDE, EQUIPPED For any Job

Your UMAX Rally<sup>2+2\*</sup> can handle whatever job you throw at it. From a dirt road at the farm to a paved pathway at the airport, this vehicle ensures success with comfortable seating, plenty of storage, and so much more.



| Metallic | Onyx      |
|----------|-----------|
|          | Glacier   |
| Matte    | Titan     |
| Metallic | Coral Red |
|          | Cyan      |
| Metallic | Bluestone |
| Metallic | Carbon    |

#### AVAILABLE COLORS

# REFRESH YOUR PTV WITH BOLD COLOR OPTIONS



Metallic



GLACIER



**TITAN** Matte



**CORAL RED** Metallic



CYAN



**BLUESTONE** Metallic



**CARBON** Metallic



BLUESTONE

CARBON

ONYX

GLACIER

TITAN



**SEE MORE ONLINE!** Scan now to watch all the Drive<sup>2</sup> features in action.

# 

# **INNOVATIVE FEATURES AT EVERY TURN**

At Yamaha, we're innovating with today's driver in mind. With bold colors and modern body styling, our Drive<sup>2</sup> line-up looks better than ever, but the biggest change is the one you don't see — a smoother ride.

INDEPENDENT **REAR SUSPENSION** 

Standard on all Drive<sup>2</sup> PowerTech AC, Drive<sup>2</sup> PowerTech Li and Drive<sup>2</sup> QuieTech EFI models. Experience stability and comfort.

STORAGE BIN WITH NO-SLIP MAT 34% larger to keep more valuables in place.



FRONT SUSPENSION Fully independent front suspension for maximum performance and comfort.



#### AUTOMOTIVE-STYLE DASH

Shown with optional Yamaha Genuine Accessories.

YAMAHA

Where permitted by closed-community regulations or other local ordinance, the Personal Transportation Vehicle (PTV) shown is suitable for use on private/public roads with a maximum posted speed limit of 25 mph. It does not meet federal motor vehicle safety standards applicable to passenger cars.

16



#### **ROOMIER BAGWELL**

Holds two staff bags comfortably and securely.

#### **MORE SPACIOUS SWEATER BASKET**

Designed for easy cleaning and abundant storage.





## **TWO USB CONNECTIONS**

Easily maintain power and stay charged. (Optional on Drive<sup>2</sup> AC and Drive<sup>2</sup> EFI models).

#### CLIMAGUARD™ SUN TOP

Protect players from the elements with a dual gutter system. 33% larger size than the nearest competitor.

| Metallic | Onyx         |
|----------|--------------|
| In-Mold  | Glacier      |
| Matte    | Titan        |
|          | Peridot      |
| Metallic | Coral Red    |
| Matte    | Arctic Drift |
| Metallic | Carbon       |

#### **AVAILABLE COLORS**

# 

# SETTING THE HIGHEST STANDARD FOR COMFORT

Whether you are giving a facility tour to clients or transporting guests around the hotel grounds, our Drive<sup>2</sup> Concierge 4 will always impress even the most discerning passengers. Make their first impression the best one with a smooth, quiet ride and the widest, most luxuriously comfortable seats in the industry.

EXTRA STORAGE UNDER TWO BENCH SEATS MEANS YOU'LL NEVER HAVE TO MAKE A SECOND TRIP.





We've outfitted both our four and six-seat Concierge models with a wealth of features to inspire the most enjoyable experiences for your riders.



GAS & ELECTRIC OPTIONS AVAILABLE



Shown with optional Yamaha Genuine Accessories

permitted by closed-community regulations or other local ordinance, the Personal Transportation Vehicle (PTV) shown is suitable for use on private/public roads with a maximum posted speed limit of 25 mph. It does not meet federal motor vehicle safety standards applicable to passenger cars.

# REFRESH YOUR CONCIERGE WITH BOLD COLOR OPTIONS



**ONYX** Metallic



**GLACIER** In-Mold



**TITAN** Matte



**PERIDOT** Metallic



**CORAL RED** Metallic



**CARBON** Metallic



ARCTIC DRIFT Matte



# DRIVE® SUPER HAULER

# HARDWORKING AND READY TO HAUL ANYTHING

Whether you're replacing water heaters or setting up for the day's big event, this extra-large hauler will handle your load. With durable, low-maintenance engineering and a super-sized aluminum cargo bed, it'll save you more than a few trips, not to mention headaches.

FEATURING 72" X 48" Supersized Aluminum Cargo Bed.

1-1-2-

SUPER-HAULER | |

CONTRACTOR CONTRACTOR

and the second





# DON'T EXPECT IT. DEMAND IT!®

All Yamaha Genuine Parts and Accessories have a three-year limited warranty, unless otherwise specified.



# **PARTS AND ACCESSORIES**

## FUSIONFIT™ ACCESSORY SYSTEM

# **EFUSION**FIT<sup>™</sup>

Yamaha's exclusive FusionFit<sup>™</sup> Bed Attachment Kit is the base that will keep your rakes, shovels, edgers, trimmers and other long-handled tools always at-the-ready; our accessory designers and engineers worked with our teams to create precise integrations that guarantee the unique fitment your Yamaha deserves.

Using CAD modeling, FusionFit features meticulous mounting points per unit per accessory that ensures the most accurate installation system possible. FusionFit allows for the tightest tolerances that are unmatched and impossible to replicate with aftermarket products.



UMAX FusionFit™ Bed Attachment Kit

Our FusionFit™ Bed Attachment Kit will help keep your rakes, shovels, guns, bows and other long-handled tools always at-the-ready. Yamaha's FusionFit accessory system provides a tool-less design that allows you to "click and go" with only a quarter turn. An integrated padlock slot gives you the option to easily secure your cargo and go. Fits 2019-2020 UMAX One/Two, UMAX One/Two Rally, UMAX Range Picker, and UMAX One/Two with Hard Cab models. Sold in pairs.

#### J0G-F34A0-V0-00

NOTE: Requires use of the separately sold ATV TEK V-GRIP<sup>™</sup> or ATV TEK FLEXGRIP<sup>™</sup> or ATV TEK Elite Series Cam Lock Grip. (Both are available in singles and doubles). Visit ShopYamaha.com to see all options and pricing.





The ATV TEK V-GRIP<sup>™</sup> offers a true custom fit for whatever tool you find yourself needing to carry. With effortless installation, unmatched versatility, and a rock solid mounting base, the V-GRIP design isolates recoil and vibration, ensuring your tools stay where you put them. Single kit includes (2) grips, (2) mounting bases, (2) rubber snubbers and all necessary hardware. Fits with UMAX FusionFit<sup>™</sup> Bed Attachment (Double kits contain (2) Single kits in addition to the sliding "T"-Bracket for ultimate adjustability).

V-GRIP SINGLE ABA-VFG10-00-00

V-GRIP DOUBLE ABA-VFG20-00-00

**NOTE:** Requires a UMAX FusionFit Bed Attachment Kit.



ATV TEK FLEXGRIP<sup>™</sup> PRO

The ATV TEK FLEXGRIP™ PRO provides an additional 16" of side-to-side (8" per side), horizontal adjustment and offers a true, custom fit with increasing rigidity for whatever tool you find yourself needing to carry. Finger-adjustable knobs allow for quick, tool-free adjustments on the fly. Single kit includes (2) grips, (2) mounting bases, (2) rubber snubbers, and all necessary hardware. Fits with UMAX FusionFit Bed Attachment. (Double kits contain (2) Single kits in addition to the sliding "T"-Bracket for ultimate adjustability).

FLEXGRIP PRO SINGLE
ABA-FFG10-00-00

FLEXGRIP PRO DOUBLE ABA-FFG20-00-00



AUDIO



Bluetooth<sup>®</sup> Audio Controller

Make your sound system just as easy to control in your Yamaha as it is in your family car with our Bluetooth® Audio Controller that allows you to change songs, adjust volume and pause/play. Pairs perfectly with the MA100 Speaker/Amp Package (GCA-MA100-00-00)—sold separately. Universal fit for most golf cars.

SBT-BTVC0-00-14

**NOTE:** Requires audio source.

This document contains many of the valuable trademarks and service marks owned and used by Yamaha throughout the world. The document may also contain references to other company, brand, and product names that may be the trademarks/service marks of their respective owners. Unless noted otherwise, these company, brand, and product names are used herein for identification purposes only, and reference to any names, marks, products, or services of third parties do not constitute or imply endorsement, sponsorship, or recommendation of the third party or the product or services.

#### ATV TEK Elite Cam Lock Grip

The ATV TEK V-GRIP offers the most versatility in one multi-use V-Grip. A truly custom fit for your handled tools, soft gun case, bow, ice auger or any other item. Highly adjustable to ensure a perfect, secure fit. Largest size range accommodates more items with infinite locking positions. Quickly and easily access your gear with the tool-free, ratcheting design. Flip cam lock ensures your gear won't fall out while you're hard at work.

Kit includes (2) Elite Cam Lock Grips, (2) mounting bases and all necessary hardware. Fits with UMAX FusionFit Bed Attachment.

#### ABA-ATVCA-ME-S1





#### Overhead AM/FM Bluetooth® Audio System

Instead of playing music through your cellphone speakers, enjoy your favorite tunes through our Overhead AM/FM Stereo with Bluetooth® that can withstand the harshest conditions, takes up none of your car space, and gives you impeccable sound quality. This system is fully weatherproof and features 3.5mm AUX-in and USB charging, new SSV Works® waterproof, marine-grade 6.5" speakers, six preset equalizer options, Bluetooth®, AM/FM tuner with LCD backlit display and internally integrated antenna, integrated hyper-white, six LED dome light. Includes wiring, mounting hardware, and step-by-step instructions (simple 2-wire installation). Fits The Drive and Drive<sup>2</sup> commercial cars and all 2019-2023 UMAX utility vehicles with factory Sun Top.

#### J0G-H81C0-V0-00

**NOTE:** Easily add aftermarket amplifiers or powered subwoofers through the 4v RCA low-level pre-output.

# AUDIO





#### EcoXGear<sup>®</sup> SoundExtreme Sound Bar

With the EcoXGear SoundExtreme Sound Bar, you will enjoy premium sound quality with marine-grade, waterproof speakers. Designed for Bluetooth pairing with smartphones, you can listen to music, podcasts or make phone calls in style.

#### ACC-ECOXT-R0-26

**NOTE:** *Requires a custom mounting solution and wiring to 12V source.* 



10" 500-watt Subwoofer by SSV Works

Need more bass in your space? SSV Works Premium Marine Subwoofer started the revolution. They produce great volume and clarity designed for the outdoor environment for the powersport enthusiast.

#### J0D-H81S0-V0-00



#### MA100 Speaker/Amp Package

Kick your sound game up a notch by adding this MA100 Speaker/Amp Package to your Drive<sup>2</sup>. Amplify your favorite songs from basic to banging with this salt and corrosion-resistant system that will keep the entertainment going as you cruise. Universal fit for most golf cars.

GCA-MA100-10-00





#### Speaker Expansion Harness by SSV Works

Universal fitment for 4-passenger tops.

J0D-H81D0-L0-00

#### Pair of Speaker Pod Clamps by SSV Works

Optional mounts for the Speaker Pod Kit #J0D-H81D0-V0-00.

- Round Clamps #J0G-H81D0-M0-00. Fits most utility vehicles with
   1.5" round supports
- Square Clamps #J0D-H81D0-M0-00. Fits most golf cars with 1.0"
   square supports

#### J0D-H81D0-M0-00



SSV Works' new Premium 6.5" Marine-Grade Weatherproof Speakers will transform the sound of your golf car stereo!

#### J0D-H81D0-V0-00

## COVERS



#### UMAX Storage Cover

Guard your UMAX from the elements during storage. We teamed up with Classic Accessories® to create the best storage cover tailored to perfectly fit your new UMAX. Fits 2019-2020 UMAX One, UMAX Range Picker, UMAX Two, UMAX One/Two Rally and UMAX One/Two with Hard Cab models.

#### J0G-F81A0-V0-00

**PRO TIP!** The Storage Cover is non-branded so you can easily use it across most stock utility vehicles (fits universal 2-passenger utility vehicle size 125" L x 52" W x 68" H).

## GOLF



#### FusionFit™ Info Card Holder

Promote your course activities on this FusionFit<sup>™</sup> Information Card Holder with incomparable strength that easily stands up to everyday use in any temperature. Fits 2010 and newer DRIVE and Drive<sup>2</sup> cars with factory ClimaGuard Sun Top.

#### JOB-F16L0-V0-02

NOTE: Fits with ClimaGuard<sup>™</sup> Sun Top.







#### Yamaha Cooler Kit

Stay refreshed throughout the day with an innovative insulated beverage cooler. Rigorously tested to outperform other coolers, this addition conveniently holds eight 16oz bottles or twelve 12oz aluminum cans including extra space for ice. 544 cubic inch (2.35 gallon) capacity. Holds 9kg (19.8lb) total.

#### GCA-J0B32-00-00

#### UMAX DropIn<sup>™</sup> Cooler

With the UMAX DropIn<sup>™</sup> Cooler, cold drinks are always conveniently stored and ready to go when and where you need them. Perfect for tournaments, company outings and more, this beverage storage solution provides instant profit gains.

Cooler Lid Opening: 24.75" Lx 15.4" W Internal Volume: 16,748in<sup>3</sup> (72 gallons) Capacity\*: 200 lbs total

| 1 UMAX One        | GCA-19HDR-OP-U1 |
|-------------------|-----------------|
| <b>2</b> UMAX Two | GCA-19HDR-OP-U2 |

\*Limited by unit's GWR and payload capacity

#### Drain Kit for UMAX DropIn<sup>™</sup> Cooler

Tired of all the mess from cleaning and draining your DropIn™ Cooler? No more water seeping under the cooler and sitting in the bed. Conveniently attached using dual drain outlets to make cleaning and draining a breeze. Connect hoses directly to the cooler to control the drainage of tank liquid to a designated location.

Includes 2 – all-brass construction on/off ball valves, 2 – 4ft. PVC reinforced hose with brass 3/4in GHT connectors, O-rings, and a 1-3/4 oz tube of pipe thread sealant.

Fitment: GCA-19HDR-OP-U1 and GCA-19HDR-OP-U2 UMAX DropIn<sup>™</sup> Coolers by 19th Hole Cart LLC<sup>™</sup>.

GCA-19UMD-RA-IN

## LIGHTING AND ELECTRICAL



#### 12V Accessory Plug and Receptacle Kit

Never be without power again with this corrosion-resistant, water-resistant, marine-grade constructed 12V Accessory Plug and Receptacle Kit. Universal fit. Requires installation. Wiring modifications required. Electric models require 48V Voltage Regulator Accessory Kit, J0J-H1910-V0-00 (sold separately).

12V ACCESSORY PLUG ONLY DBY-ACC56-00-85

12V ACCESSORY RECEPTACLE ONLY
ATV-12VPC-00-RC

**NOTE:** Can be installed from the front using the included mounting plate, or from the rear using the locking ring.



#### USB Charge Socket (Set)

Allow occupants to conveniently charge devices on both sides of the vehicle, a win-win for drivers and passengers. Each USB socket can be easily installed in various locations. Fits all 2019-2023 UMAX Rally models.

ELECTRIC CARS

GCA-J0C70-00-00

GAS CARS GCA-J0A70-00-00

**NOTE:** Both electric and gas models include necessary fuse and voltage regulator. Uses factory mounts and plug-and-play harness.



#### Accessory Mount Clamps

These 1.5" clamps allow you to rigidly mount additional accessories or lighting, like the Bullet Accessory Lights (flood pattern (2HC-H4104-L0-00) and spot pattern (2HC-H4104-V0-00) are sold separately). Sold in pairs. Fits all 2019-2023 UMAX Rally models. Wiring modifications required. Electric models require 48V Voltage Regulator Accessory Kit, J0J-H1910-V0-00 (sold separately).

2HC-F34A0-V0-00



#### Waterproof USB Dual Charge Port

Add the luxury of a Waterproof USB Dual Charge Port to your utility car, boat, ATV, side-by-side, motorcycle, or even automobile. The USB charge port uses the same mounting hole and connectors as the DC receptacle, making upgrading to USB a snap. Universal fit for most commercial cars, boats, Side-by-Sides, and other 12-volt applications. Wiring modifications required. Electric models require 48V Voltage Regulator Accessory Kit, J0J-H1910-V0-00 (sold separately)

GCA-JW970-00-00

# LIGHTING AND ELECTRICAL

# THE NEXT GENERATION OF LIGHT KITS

The UMAX Premium Light Upgrade Kit and the UMAX Ultra-Premium Light Upgrade Kit will light your path and keep others informed about your travels. Both Premium and Ultra-Premium Light Upgrade Kits include Yamaha's exclusive new plug-and-play wiring harness that is fully expandable for further upgrades, such as turn signal indicators, side markers, and center high-mount stop/tail/turn lights (for future expansion for custom applications).

- Plug-and-play installation
- Harness is weather-tight with sealed connectors
- Turn signal stalk incorporates the headlight off-low-high beam selector knob
- Adds high-beam functionality to factory UMAX LED headlights
- Turn signal handle integrated horn button
- Includes Yamaha's exclusive LED taillights (J0G-H4503-V0-00)
- All Yamaha Upgrade Light Kits include all necessary mounting hardware and detailed instructions with pictures
- Fits all UMAX, UMAX Rally, and UMAX Rally<sup>2+2</sup> models



UMAX Premium Light Upgrade Kit

Features a plug-and-play upgradeable premium harness, all new phosphorcoated chip-on-board (COB) module that features full-power flashing amber LED front turn signals, the all-new basic amber LED front turn signal chipon-board (COB) module, LED taillight and brake lights, front and rear LED turn signals, 4-way flasher, horn, and side reflex reflectors. Includes Yamaha's exclusive, automotive-style, premium turn signal stalk that incorporates the headlight on/off switch, turn signal handle, and integrated horn button.

Fits all UMAX, UMAX Rally, and UMAX Rally<sup>2+2</sup> models.

J0G-H43C0-T0-00



Features everything from the Premium Kit, in addition to the all-new

waterproof/dustproof premium white LED accent/amber LED front turn signal chip-on-board (COB) module with clear lens assembly.

Fits all UMAX, UMAX Rally, and UMAX  ${\rm Rally}^{\scriptscriptstyle 2+2}$  models.

J0G-H43C0-V0-00

## LIGHTING AND ELECTRICAL



#### Drive<sup>2</sup> Premium PTV Upgrade Kit (EFI/AC)

Features a plug-and-play upgradeable premium harness, all-new phosphorcoated chip-on-board (COB) module that features full-power flashing amber LED front turn signals, the all-new basic amber LED front turn signal chip-on-board (COB) module, 20-diode LED taillight and brake lights, front and rear LED turn signals, 4-way flasher, horn, and side reflex reflectors. Includes Yamaha's exclusive, automotive-style, premium turn signal stalk that incorporates the headlight on/off switch, turn signal handle, and integrated horn button.

Fits all Drive<sup>2</sup> PTV models.

GCA-J0D12-01-PT

|                              | PREMIUM                              |                      | PREMIUM ULTRA-PREMIU   |      | REMIUM               |
|------------------------------|--------------------------------------|----------------------|--|------|----------------------|
| Model Type                   | PTVA                                 | PTVA PTVE            |  | PTVE |                      |
| Model Code                   | J0D PTV QuieTech EFI                 | J0E PTV PowerTech AC | J0D PTV QuieTech EFI J0E PTV PowerTech AC  |      |                      |
| pgrade Light Kit Part Number | GCA-J0D12-01-PT                      |                      | GCA-J0D12-00-UP  |      |                      |
| Upgrade Light Kit Name       | DR2PTV EFI J0D/AC J0E<br>PREM UPG KT |                      | DR2PTV EFI J0D/AC J0E<br>ULT-PRM UPG KIT   |      |                      |
| Harness                      | Plug-N-Play                          |                      | Plug-N-Play  |      |                      |
| Tail / Brake Light           | 20-LED Included                      |                      | Sequential 26-LED  |      |                      |
| 4-Way Flasher                | Included                             |                      | Included   |      |                      |
| Rear LED Turn Signals        | Included                             |                      | Included   |      |                      |
| Front Turn Signals           | Basic COB LED Amber                  |                      | Front Turn Signals         Basic COB LED Amber         Premium LED Amber with Accent Light |      | er with Accent Light |
| Relay Harness                | -                                    |                      | Relay Harness - Included   |      | uded                 |
| Driver Harness               |                                      |                      | Driver Harness - Included  |      | uded                 |
| Side Reflectors              | Included                             |                      | Inclu  | uded |                      |
|                              |                                      |                      |  |      |                      |



#### Drive<sup>2</sup> Ultra-Premium PTV Upgrade Kit

Features everything from the Premium Kit, in addition to the all-new waterproof/dustproof premium white LED accent/amber LED front turn signal chip-on-board (COB) module with clear lens assembly, as well as the all-new 26-LED sequential stop-tail-turn rear lights.

Fits all Drive<sup>2</sup> PTV models.

GCA-J0D12-00-UP

# FUSIONFIT™ | AUDIO | COVERS | GOLF

\_\_\_\_

## LIGHTING AND ELECTRICAL



UMAX Headlight High/Low Switch

Add the option to switch between high- or low-beam front LED headlight with our Headlight High/Low Switch. With easy plug-and-play installation in the front dash panel, it will seamlessly match the factory headlight on/off switch. Fits 2019-2023 UMAX Rally models.

#### J0G-H25A0-V0-00

**NOTE:** Will not work with Premium or Ultra-Premium Light Upgrade Kits.



Bullet Accessory Lights

Make visibility easier with these 2.5" accessory lights that make an invaluable addition when your headlights can't reach. Our 10w LEDs shine an extremely bright beam while drawing very little power. Their compact size makes them versatile and allows you to mount them to almost anywhere on your Yamaha vehicle. Universal fit for most commercial cars.

#### FLOOD 2HC-H4104-L0-00

SPOT

#### 2HC-H4104-V0-00

**NOTE:** Accessory Mount Clamps (2HC-F34A0-V0-00) required for installation on Support Sunroof Top or Front Brush Guards, all sold separately.



#### UMAX Yamaha Backlit Logo

Give your UMAX vehicle an intimidatingly gritty edge that'll make a statement wherever you go. Easily connects to factory headlight for plug-and-play wiring. Fits all 2019-2023 UMAX Rally models.

#### J0G-H4104-V0-00

**NOTE:** Trimming of front grill required for installation.



#### Backlit Yamaha Logo Light

Add this Backlit Yamaha Logo Light anywhere from the front cowl of your DRIVE or Drive<sup>2</sup> vehicle. (Plug-and-play installation on Drive<sup>2</sup> PTV and Fleet models with Yamaha Genuine upgrade light kits.) Fits 2017-2023 Concierge 4/6 and Super Hauler models.

J0B-H4104-V0-PC

## PROTECTION



#### UMAX Cargo Bed Mat

Keep your cargo bed in "fresh out of the box" condition with our wearresistant, durable Cargo Bed Mat. Made from a proprietary 10mm-thick, reinforced, engineered rubber that slows bed wear as it reduces noise and resonance when transporting cargo. Also, the mat's rough-and-tough styling perfectly matches your UMAX vehicle's look while the aggressive lug pattern helps prevent cargo from sliding. Fits 2019-2023 UMAX Rally One EFI and UMAX Rally Two EFI/AC models.

#### J0G-F7302-V0-00

**NOTE:** Fits UMAX Two models as is. Cutting of mat required to fit UMAX One EFI models.



#### UMAX Rear Arm Skid Plate

Tackle rugged terrain with confidence after installing our Rear Arm Skid Plate to help guard against large rocks and other obstructive debris from harming your transaxle—all while perfecting your UMAX vehicle's tough styling. Fits all 2019-2023 UMAX Rally models.

#### J0G-F21A0-V0-00



#### **UMAX Front Brush Guards**

Protect the bold look of the grill, hood, and cowl longer. Fits all 2019-2023 UMAX Rally models.

SPORT FRONT BRUSH GUARD J0G-F85F0-V0-00

SPORT FRONT BRUSH GUARD WITH HEADLIGHT PROTECTION J0G-F85F0-R0-00

**PRO TIP!** For even more protection from brush and debris, add the Rear Tubular Brush Guard (J0G-F85F0-S0-00) and Side Steps (J0G-F11E0-V0-00), both sold separately.

**NOTE:** Will not work with Range Picker Mount.



Protect the front end and headlights while adding a little rugged flair with this front brush guard that's designed to seamlessly integrate with the front profile all while creating a tough, aggressive look. Fits 2017-2023 Drive<sup>2</sup> Concierge 4/6 and Drive<sup>2</sup> Super Hauler models.

GCA-J2G67-00-00

## PROTECTION





#### UMAX deFender

Guard yourself and your UMAX vehicle even more with our wide, off-road, four-piece fender flare kit, designed and engineered to perfectly match your Yamaha in every way. Fits all 2019-2023 UMAX Rally models.

DEFENDER (WIDE) J0G-F15E0-T0-00

DEFENDER JR. (NARROW) (INSET) JOG-F15E0-V0-00

NOTE: Use of 23" tall tires requires 20mm lift.



extra level of protection from mud and water. Fender flares are made from a durable, injection-molded polypropylene, UV-resistant material. Fits all Drive<sup>2</sup> models including 2017-2023 Drive<sup>2</sup> Concierge 4/6 models.

#### GCA-J2G56-00-00

## SERVICE



Deionizer

Increase your Yamaha vehicle's battery life and run time by using our Deionizer system—a cost-effective, effortless way to purify the water used for battery watering. Prevent the build-up of impurities over time with this simple addition to your routine service, and it'll make a substantial impact on your battery life. For use with Pro-Fill® by Flow-Rite® Regulated Hose Supply (sold separately).

1 DEIONIZER JN6-DEION-IZ-ER

2 REPLACEMENT PARTS - 600 REPLACEMENT CARTRIDGE JN6-DEION-RP-LC

# SERVICE



#### BFS™ Battery Watering System

Maximize the battery life of your Yamaha vehicle by using the BFS<sup>™</sup> Battery Watering System that'll make routine maintenance a breeze. Low water levels in lead acid batteries are the primary cause of shortened battery life. Using a watering system saves time and money by filling the batteries simultaneously, providing a safer environment by reducing operators' exposure to battery acid. This accessory also improves battery life and overall performance. Fits 2019-2023 UMAX AC, 2017-2023 Drive<sup>2</sup> Concierge 4/6 AC, and Drive<sup>2</sup> Super Hauler AC models.

SIX 8-VOLT TROJAN T875 GCA-JW286-30-00 EIGHT 6-VOLT TROJAN T105

GCA-JW286-40-00

NOTE: Requires Gravity Tank (GCA-JW286-00-23), sold separately.



#### BFS™ Gravity Tank

Use the BFS™ Gravity Tank to add water to your Battery Watering System (GCA-JW286-30-00 or GCA-JW286-40-00)—sold separately—using the power of gravity versus manually pumping the water into the system. For use on BFS™ by Battery Watering Technologies systems.

#### GCA-JW286-00-23

NOTE: No Deionizer needed with this.



#### Pro-Fill<sup>®</sup> Regulated Water Supply Hose

If you plan to use your factory Trojan® HydroLink® watering system to fill multiple commercial cars in a quick succession, our Pro-Fill® Regulated Water Supply Hose is the perfect solution. For use with Pro-Fill® by Flow-Rite® or Trojan® HydroLink® watering systems. Will not work with Battery Watering Technologies.

#### GCA-JW281-00-00



#### Pro-Fill<sup>®</sup> Hand Pump

Manually add distilled water to your factory Trojan® HydroLink® watering system with this Pro-Fill® Hand Pump. For use with Pro-Fill® by Flow-Rite® or Trojan® HydroLink® watering systems. Will not work with Battery Watering Technologies.

#### GCA-JW285-00-00

NOTE: No Deionizer needed with this.

PROTECTION | SERVICE STORAGE



\_\_\_\_

# STORAGE



#### UMAX Cargo Bed Box

You've got a long workday planned. Leave none of your essentials behind with our heavy-duty, durable cargo box that doubles as a non-insulated cooler featuring an integrated drain plug. You'll enjoy easy installation and optimum capacity while matching your UMAX vehicle's uniquely rugged style. Fits 2019-2023 UMAX One Rally EFI and UMAX Two Rally EFI/AC models.





UMAX Sun Top Kit

Guard yourself against the Sun's glare, hanging brush, and other elements with the only sun top designed to completely match your UMAX vehicle in style and durability. Fits 2019-2023 UMAX One/Two Rally models.

J0G-K84A0-V0-00



## WEATHER PROTECTION



#### UMAX Hard Cab Enclosure

It's 40 degrees out, the sun is just coming up over the trees and there's plenty of work to be done. With our hard cab system, you are sure to be comfortable, despite the elements. This polycarbonate cab system offers the perfect balance of visibility, quality, and comfort to your UMAX. Fits 2019-2023 UMAX One EFI, UMAX Two AC, and UMAX Two EFI.

#### Cab enclosure consists of 4 components. All sold separately. Requires all 4 components:

| ( Two AC, |         |
|-----------|---------|
|           |         |
| , ,       | Two AC, |

J0G-K750A-V0-00



#### UMAX Windshields

Completely redesigned and re-engineered to be the best in the industry. Made from polycarbonate for higher impact resistance, greater tensile and more flexural strength and UV-resistance. The fold-down windshield has a flexible, industry-first mechanical hinge that has a chemically-bonded weld for superior strength. Press-in rubber latches for the top grip and bottom grip clips provide a more secure, yet quiet fit—and is effortless to store in the folded position. Fits all 2019-2023 UMAX Rally models.

 1 One-piece Clear......J0G-K7200-V0-00 (NOT SHOWN)

 2 One-piece Tinted......J0G-K7200-T0-00 (NOT SHOWN)

 3 Hinged Clear .....J0G-K7200-S0-00

 4 Hinged Tinted......J0G-K7200-R0-00 (NOT SHOWN)



DFK UMAX Hard Cab Enclosure

The UMAX DFK Hard Cab promises the best in durable, reliable protection. Designed to withstand harsh weather elements, this fully-sealed cab is outfitted with laminated glass, sliding windows, 360° visibility and windshield wipers. Fits 2019-2023 UMAX Two AC, UMAX Two EFI, Rally Two EFI and Rally Two AC.

VDF-DFKCB-74-00



#### DFK Drive<sup>2</sup> Hard Cab Enclosure

The Drive<sup>2</sup> Hard Cab brings cold weather protection to new levels. Featuring a laminated windshield, polycarbonate doors,  $360^{\circ}$  visibility and more.

VDF-DFKCB-75-00

## WEATHER PROTECTION





#### Drive<sup>2</sup> Three-Sided Enclosure

This three-sided taupe enclosure perfectly complements the Club Pro Products® Cabana Golf Bag. Install in as little as five minutes with a patented extrusion system. The back panel allows access to the sweater basket. The cover disappears into a zippered sleeve when not in use. Fits 2016-2023 Drive<sup>2</sup> Concierge 4/6 and Drive<sup>2</sup> Super Hauler models.

| Black | GCA-J0A63-00-B  |
|-------|-----------------|
| Taupe | GCA-J0A63-00-00 |



#### Yamaha Commercial Car Windshields

Completely redesigned and re-engineered to be the best in the industry, these Yamaha windshields are made from polycarbonate for higher impact-resistance, greater tensile, flexural strength, and more UV-resistance.

The fold-down windshield has a flexible, mechanical hinge made with a chemically bonded weld for superior strength. Press-in rubber latches for the top and bottom grip clips provide a more secure and quiet fit, making it effortless to store in the folded position.

Fits all 2017-2023 Drive<sup>2</sup> Concierge 4/6 and Drive<sup>2</sup> Super Hauler models.

| 1 One-piece Clear  | J0B-K7200-01-00 |
|--------------------|-----------------|
| 2 One-piece Tinted | J0B-K7200-11-00 |
| 3 Hinged Clear     | J0B-K7200-24-00 |
| 4 Hinged Tinted    | J0B-K7200-34-00 |

5 Hinged Clear DR2 Hardcoat...... J0B-K7200-50-00 (NOT SHOWN)



#### Drive<sup>2</sup> Three-Sided Enclosures

Our UV- and mildew/mold-resistant over-the-top enclosure is quick and easy to install thanks to a trackless design, so you can seamlessly move it from car to car without hassle. Also features heat-welded seams and heavyduty, marine-grade, 1300D vinyl or marine-grade, 600D, 100% solution-dyed polyester fabric along with hook-and-loop straps for high-level security. Fits 2016-2023 Drive<sup>2</sup> Concierge 4/6 and Drive<sup>2</sup> Super Hauler models.

| Fabric – Taupe  | GCA-J0A65-00-SD |
|-----------------|-----------------|
| Vinyl - White   | GCA-J0A65-00-00 |
| Acrylic - Linen | GCA-J0A65-00-LN |

**NOTE:** Requires modifications to front support sleeves when used with Drive<sup>2</sup> polycarbonate windshield with mechanical hinge.

STORAGE | TOPS

## WHEELS AND TIRES



Give your Personal Transportation Vehicle a classic edge with this easy, 12-spoke J-Series Direct Deplacement Alloy Wheel Assembly. Fits all 2015-2016 DRIVE PTV and 2017-2023 Drive<sup>2</sup> PTV models.

| 1 Silver          | GCA-J0E51-00-SL |
|-------------------|-----------------|
| 2 Black Machine   | GCA-J0E51-00-BM |
| 3 All-Satin Black | GCA-J0E51-00-SB |
| 4 Gold Machine    | GCA-J0E51-00-GD |



10" 16-Spoke V-Series Wheel Assembly

Incorporate your bold style through your Drive<sup>2</sup> with our 10" 16-spoke wheel assembly—includes a chrome center cap with Yamaha emblem, chrome lug nuts, a chrome valve stem cap, and a chrome valve stem cover. Fits 2015-2016 DRIVE PTV and 2017-2023 Drive<sup>2</sup> PTV models.

Silver. GCA-J0E51-20-SL Black .. ... GCA-J0E51-20-BM



## 10" Casino Alloy Wheel Assembly

Dress up your Drive<sup>2</sup> with our 10" Casino Alloy Wheel Assembly that daringly mixes stunning angles with detailed, black-accented finesse. Fits 2015-2016 DRIVE PTV and 2016-2023 Drive<sup>2</sup> PTV models.

Black Machine ...... GCA-JC352-00-BK Silver ..... .. GCA-JC352-00-SL



# Kenda UMAX 6 PLY UPG 10X7 V-Window

High style meets high functionality in the Kenda UMAX 6 PLY UPG 10x7 V-Window tires. With a handsome design fused with the ability to scale any terrain, this tire is one that will leave onlookers talking. Fits all UMAX One/Two models.

J0G-F510M-B0-SV

# WHEELS AND TIRES



12" 16-Spoke V-Series Radial Alloy Wheel Assembly

V-Series alloy wheel assembly features the Kenda Kruizer KR20A tire, the Personal Transportation Vehicle industry's first true automotive steel-belted radial design tire specifically designed for Low Speed (LSV) and Personal Transportation Vehicles (PTV) that are approved to be used on golf courses and in golf course communities. Combined with the all-new V-Series alloy wheel by Wheel Mate Products for the ultimate driving experience. Fits 2015-2016 The DRIVE PTV and 2017-2023 Drive<sup>2</sup> PTV models.

| 1 Silver Machine | GCA-J0D52-2L-SL | (Driver Side) | GCA-J0  |
|------------------|-----------------|---------------|---------|
| 2 Gunmetal       | GCA-J0D52-2L-GM | (Driver Side) | GCA-J0  |
| 3 Bronze         | GCA-J0D52-2L-BZ | (Driver Side) | GCA-JO  |
| 4 Black Machine  | GCA-J0D52-2L-BM | (Driver Side) | GCA-JOI |
| 5 Satin Black    | GCA-J0D52-2L-SB | (Driver Side) | GCA-JO  |

UMAX Rally<sup>2+2</sup> models. VDF-12RLY-27-27



0D52-2R-SL (Passenger Side) 0D52-2R-GM (Passenger Side) 0D52-2R-BZ (Passenger Side) 0D52-2R-BM (Passenger Side) 0D52-2R-SB (Passenger Side)

#### 12" Motohammer Battle Wheel

Scale any terrain with the 12" Motohammer Battle Wheel. Built with abundant treads and a sharp silhouette, this tire is one your riders can always rely on. Fits all UMAX Rally and

# **YANALUBE**®

# Others simply follow industry standards. **WE PREFER TO SET THEM.**

In 1967, after testing hundreds of lubrication combinations, Leo Lake developed a blend that became the iconic Yamalube<sup>®</sup> brand the world knows today.

To date, Yamalube® remains the only oil built around the stringent demands, operating characteristics and applications of not only Yamaha engines, but all powersport engines. With over 50 years of success, we still strive to make the best even better.

## QUALITY CARE PRODUCTS







#### Yamalube<sup>®</sup> UMAX Tune-Up Kit

Think your UMAX vehicle wants the same oil as a minivan? Give it the care only the most rugged utility car on the market deserves: Yamalube® (an oil kit specifically crafted to support the UMAX performance, power, and versatility). Fits all 2023 UMAX EFI models.

CONTAINS:

- Yamalube® 10W-30 Mineral Oil (37.2 oz.)
- Genuine Yamaha Air Filter (QTY. 1)
- Genuine Yamaha Pre-Air Filter (QTY. 1)
- NGK<sup>®</sup> Spark Plug (QTY. 1)
- Drain Plug Gasket (QTY. 1)

#### LUB-GCUMX-MT-KT

#### Yamalube<sup>®</sup> Drive<sup>2</sup> Tune-Up Kit

Peak performance in a kit is what you'll be giving your Drive<sup>2</sup> car with the Yamalube<sup>®</sup> Drive<sup>2</sup> Tune-Up Kit. Keep your vehicle at its best, longer. Fits 2016-2023 Drive<sup>2</sup> EFI models.

CONTAINS:

- Yamalube® 10W-30 Mineral Oil (1 Qts.)
- Genuine Yamaha Air Filter (QTY. 1)
- Genuine Yamaha Pre-Air Filter (QTY. 1)
- NGK<sup>®</sup> Spark Plug (QTY. 1)
- Drain Plug Gasket (QTY. 1)

LUB-GCDR2-MT-KT

#### Fuel Med RX

Prevent fuel system corrosion, improve performance, and extend the life of your Yamaha by using Fuel Med RX. Routine use will fight back phase separation, moisture damage, dissolve gum and varnish in your carburetion system—all while extending spark plug life and stabilizing fuel for winterization. Universal fit. This product can be utilized in all gas engines (lawn mowers, weed eaters and garden tillers) not just a Yamaha!

3.2 OZ. BOTTLE (BLENDED) ACC-FUELM-RX-04 (QTY. 48\*)

16 OZ. BOTTLE (CONCENTRATED; CHAMBERED BOTTLE FOR EASY MEASURING) ACC-FUELM-RX-16 (QTY. 12\*)

**NOTE:** Use continuous treat rate if in-season fuel will sit in a tank for more than seven days. The storage treat rate keeps fuel fresh for up to one year.

# QUALITY CARE PRODUCTS



# **PERFECT PROTECTION**

Yamalube<sup>®</sup> Quality Care Products. Specifically Formulated For Your Commercial Car.



#### For the Right Protection, the Pros Know Where to Go

UMAX vehicle's work hard all day. You need protection that does too. Make sure your Yamaha vehicle is always up for he task with highquality Yamalube® Quality Care Products.

#### **Better For Your Investment**

Protect your Yamaha vehicle from the wear and tear of nearly continuous use with Yamalube® 10W-30 All-purpose Commercial Car oil. It includes high-quality mineral base stocks and provides incredible film strength.

#### **Better Lubrication**

At Yamaha, we have stringent lubrication standards for all of our vehicles—and other off-the-shelf oils just aren't up to par. That's why we created our own. Our factory-approved engine oils include unparalleled mineral base stocks and technologically superior additives, providing excellent protection that matches your engine's demand.

#### **Better Protection**

Yamalube® Performance All-purpose Commercial Car oil is available in the precise multi-grade viscosity recommended for your four-stroke Yamaha vehicle, and meets or exceeds all industry standards.



1

#### YamaClean<sup>®</sup> Pro-Wash Spray

YamaClean® Pro-Wash Spray is a biodegradable vehicle wash that removes grime and soil. It rinses clean and is the most effective way to remove grime, grease, and bugs from most surfaces so to always keep your commercial car looking new.

32 OZ. BOTTLE ACC-YAMAC-PW-SP (QTY. 12\*)

1 GAL. BOTTLE ACC-YAMAC-PW-GL (QTY. 4\*)



#### Spray Polish and Instant Detailer

This quick detailer will restore a lustrous shine to paint, chrome, glass, and smooth plastics like visors, windshields, and gauges. This polish gives textured plastics, rubber, and vinyl a beautiful satin finish. Antistatic properties repel dust and dirt to keep that shine.

14 OZ. CAN ACC-SPRAY-PL-SH (QTY. 12\*)



#### 2

#### YamaCoat<sup>™</sup> Plastic Coating

A high-quality plastic coating that helps maintain the color and surface-finish of plastic for that elusive factory-finish look. The unique comfort tip gives an even spray on components to be treated. Once applied, simply wipe dry or leave wet to help inhibit adhesion of mud and dirt for easy cleanup. Ideal for use on commercial cars, motocross and off-road motorcycles, ATVs, Side-by-Sides, and any other vehicles where plastic components are used.

10 OZ. CAN ACC-YAMAC-OA-TC (QTY. 12\*)



4

#### Yamashield™

Creates a non-conductive shield on surfaces that are exposed to the elements and provides extreme rust and corrosion protection, preserving metal components and electrical connections from moisture.

12 OZ. CAN ACC-YAMSH-LD-00 (QTY. 12\*)

# UMAX ONE EFI

| DIMENSIONS   |                      |
|--|----------------------|
| OVERALL LENGTH   | 111.45 in (283.1 cm) |
| OVERALL HEIGHT (NO SUN TOP)                              | 48.54 in (123.3 cm)  |
| OVERALL HEIGHT (WITH SUN TOP)                            | 74.02 in (188 cm)    |
| OVERALL WIDTH  | 49.33 in (125.3 cm)  |
| WHEELBASE  | 66.18 in (168.1 cm)  |
| FRONT WHEEL TREAD  | 39.96 in (101.5 cm)  |
| REAR WHEEL TREAD   | 40.19 in (102.1 cm)  |
| MINIMUM GROUND CLEARANCE                                 | 4.56 in (11.6 cm)    |
| CURB WEIGHT (WITH SUN TOP,<br>BATTERY, OIL AND GASOLINE) | 452 kg (997 lb)      |

#### GENERAL

| FUEL TANK CAPACITY             | 5.2 US GAL (20 LITERS)                                       |
|--------------------------------|--|
| TIRE SIZE                      | 20x10-10 4-ply Monitor K389 (front) K500 (rear)              |
| SEATING CAPACITY               | Two persons  |
| AVAILABLE MODEL COLORS         | Glacier<br>Metallic: Coral Red, Bluestone, Evergreen, Carbon |
| AVAILABLE SEAT & SUN TOP COLOR | Black  |
| WARRANTY                       | Standard 2-year limited vehicle warranty                     |
| STANDARD RECEIVER HITCH        | 2"   |

#### ENGINE / DRIVE TRAIN

| ENGINE TYPE        | Yamaha-built 402 cc, Low Emission Single Cylinder<br>60deg Incline OHV          |
|--------------------|---|
| LUBRICATION SYSTEM | Splash-style positive oil lubrication   |
| OIL CAPACITY       | 1.16 U.S. quart (1.1 liter, 1100 cc), Yamalube 10W-30                           |
| AIR CLEANER        | Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge |
| COOLING SYSTEM     | Forced air  |
| FUEL SYSTEM        | Electronic fuel injection   |
| STARTING SYSTEM    | Starter generator with pedal start system                                       |
| HORSEPOWER         | 3600 rpm (14.25 hp)   |

#### CHASSIS

| FRAME                      | HybriCore <sup>TM</sup> Chassis features a robotic welded<br>automotive ladder-style steel frame protected with<br>a multi-step full-immersion phosphate treatment,<br>electro-deposition epoxy-based coating, and an<br>electrostatic applied polyester/urethane powder<br>topcoat |
|----------------------------|---|
| BODY                       | Custom-formulated thermoplastic olefin painted with<br>a two-part top coat of high-luster automotive-grade<br>polyurethane  |
| STEERING                   | Self-compensating double reduction helical rack-and-pinion  |
| FRONT SUSPENSION           | Tru-Trak II™ fully independent automotive-style strut suspension  |
| REAR SUSPENSION            | Unit swing arm with DUAL RATE coil springs over hydraulic shock absorbers   |
| BRAKES                     | Self-adjusting mechanical, rear wheel drum brakes   |
| CARGO BED MAX LOAD         | 300 lb  |
| ROLLING TRAILER MAX WEIGHT | 800 lb  |
| MAX TONGUE WEIGHT          | 100 lb  |
| VEHICLE RATED CAPACITY     | 800 lb  |
| CARGO BED DIMENSIONS       | 33.2" L x 45.9" W x 11.9" H   |

#### PERFORMANCE

| MAX FORWARD SPEED      | 17.5 mph (28 km/h) |
|------------------------|--------------------|
| MAX REVERSE SPEED      | 13.1 mph (21 km/h) |
| MINIMUM TURNING RADIUS | 3.48 m             |
| G.V.W.                 | 1,708 lb           |

# UMAX TWO EFI

#### DIMENSIONS

| DIMENSIONS   |  |
|--|--|
| OVERALL LENGTH   | 119.37 in (303.2 cm)   |
| OVERALL HEIGHT (NO SUN TOP)                              | 48.54 in (123.3 cm)  |
| OVERALL HEIGHT (WITH SUN TOP)                            | 74.02 in (188 cm)  |
| OVERALL WIDTH  | 49.33 in (125.3 cm)  |
| WHEELBASE  | 77.2 in (196.1 cm)   |
| FRONT WHEEL TREAD  | 40.27 in (102.3 cm)  |
| REAR WHEEL TREAD   | 40.19 in (102.1 cm)  |
| MINIMUM GROUND CLEARANCE                                 | 4.52 in (11.5 cm)  |
| CURB WEIGHT (WITH SUN TOP,<br>BATTERY, OIL AND GASOLINE) | 483 kg (1064 lb)   |
| GENERAL  |  |
| FUEL TANK CAPACITY                                       | 5.2 U.S. gal (20 liters)   |
| TIRE SIZE  | 20x10-10 4-ply Monitor K389 (front) K500 (rear)  |
| SEATING CAPACITY   | Two persons  |
| AVAILABLE MODEL COLORS                                   | Glacier<br>Metallic: Coral Red, Bluestone, Evergreen, Carbon   |
| AVAILABLE SEAT & SUN TOP COLOR                           | Black  |
| WARRANTY   | Standard 2-year limited vehicle warranty   |
| STANDARD RECEIVER HITCH                                  | 2"   |
| ENGINE / DRIVE TRAIN                                     |  |
| ENGINE TYPE  | Yamaha-built 402 cc, Low Emission Single Cylinder<br>60deg Incline OHV   |
| LUBRICATION SYSTEM                                       | Splash-style positive oil lubrication  |
| OIL CAPACITY   | 1.16 U.S. quart (1.1 liter, 1100 cc), Yamalube 10W-30  |
| AIR CLEANER  | Two-stage, urethane-foam pre-cleaner,<br>and high-capacity pleated paper cartridge   |
| COOLING SYSTEM   | Forced air   |
| FUEL SYSTEM  | Electronic fuel injection  |
| STARTING SYSTEM  | Starter generator with pedal start system  |
| HORSEPOWER   | 3600 rpm (14.25 hp)  |
|  |  |
| FRAME  | HybriCore <sup>™</sup> Chassis features a robotic welded<br>automotive ladder-style steel frame protected with<br>a multi-step full-immersion phosphate treatment,<br>electro-deposition epoxy-based coating, and an<br>electrostatic applied polyester/urethane powder<br>topcoat |
| BODY   | Custom-formulated thermoplastic olefin painted with<br>a two-part top coat of high-luster automotive-grade<br>polyurethane   |
| STEERING   | Self-compensating double reduction helical rack-and-pinion   |
| FRONT SUSPENSION   | Tru-Trak II <sup>™</sup> fully independent automotive-style strut suspension   |
| REAR SUSPENSION  | Unit swing arm with DUAL RATE coil springs over hydraulic shock absorbers  |
| BRAKES   | Self-adjusting mechanical, front and rear wheel drum brakes  |
| CARGO BED MAX LOAD                                       | 800 lb   |
| ROLLING TRAILER MAX WEIGHT                               | 1,200 lb   |
| MAX TONGUE WEIGHT  | 150 lb   |
| VEHICLE RATED CAPACITY                                   | 1,500 lb   |
| CARGO BED DIMENSIONS                                     | 41.1" L x 45.9" W x 11.9" H  |

| PERFORMANCE            |                    |
|------------------------|--------------------|
| MAX FORWARD SPEED      | 17.5 mph (28 km/h) |
| MAX REVERSE SPEED      | 13.1 mph (21 km/h) |
| MINIMUM TURNING RADIUS | 3.98 m             |
| G.V.W.                 | 2,533 lb           |
|                        |                    |

# UMAX TWO AC

| DIMENSIONS                    |                      |  |
|-------------------------------|----------------------|--|
| OVERALL LENGTH                | 119.37 in (303.2 cm) |  |
| OVERALL HEIGHT (NO SUN TOP)   | 48.54 in (123.3 cm)  |  |
| OVERALL HEIGHT (WITH SUN TOP) | 74.02 in (188 cm)    |  |
| OVERALL WIDTH                 | 49.33 in (125.3 cm)  |  |
| WHEELBASE                     | 77.2 in (196.1 cm)   |  |
| FRONT WHEEL TREAD             | 40.27 in (102.3 cm)  |  |
| REAR WHEEL TREAD              | 40.19 in (102.1 cm)  |  |
| MINIMUM GROUND CLEARANCE      | 4.52 in (11.5 cm)    |  |
| CURB WEIGHT (WITH SUN TOP)    | 658 kg (1451 lb)     |  |
|                               |                      |  |

# GENERAL TIRE SIZE 20x10-10 4-ply rating Monitor K389 (front) K500 (rear) SEATING CAPACITY Two persons AVAILABLE MODEL COLORS Glacier Metallic: Coral Red, Bluestone, Evergreen, Carbon AVAILABLE SEAT & SUN TOP COLOR Black WARRANTY Standard 2-year limited vehicle warranty STANDARD RECEIVER HITCH 2"

| ENGINE/ DRIVE TRAIN |  |
|---------------------|--|
| MOTOR               | 48-volt AC   |
| OUTPUT RATING       | 6.7 hp (5.0 kW FOR 60 minutes)                                 |
| MOTOR CONTROL UNIT  | NEOS 350 amp AC controller by Toyota Industries<br>Corporation |
| BATTERIES           | Standard: Six 8-volt Trojan T-105 Batteries                    |

#### CHASSIS

| FRAME                      | HybriCore™ Chassis features a robotic-welded,<br>automotive ladder-style steel frame, protected with<br>a multi-step full-immersion phosphate treatment,<br>electro-deposition epoxy-based coating, and an<br>electrostatic applied polyester/urethane powder<br>topcoat |
|----------------------------|--|
| BODY                       | Custom-formulated thermoplastic olefin, painted with<br>a two-part top coat of high-luster automotive-grade<br>polyurethane  |
| STEERING                   | Self-compensating double reduction helical rack-and-pinion   |
| FRONT SUSPENSION           | Tru-Trak II™ fully independent automotive-style strut suspension   |
| REAR SUSPENSION            | Unit swing arm with DUAL RATE coil springs over hydraulic shock absorbers  |
| BRAKES                     | Self-adjusting mechanical, front and rear wheel drum brakes  |
| CARGO BED MAX LOAD         | 800 lb   |
| ROLLING TRAILER MAX WEIGHT | 1,200 lb   |
| MAX TONGUE WEIGHT          | 150 lb   |
| VEHICLE RATED CAPACITY     | 1,500 lb   |
| CARGO BED DIMENSIONS       | 41.1" L x 45.9" W x 11.9" H  |
|                            |  |

#### PERFORMANCE

| MAX FORWARD SPEED      | 17.5 mph (28 km/h) |
|------------------------|--------------------|
| MAX REVERSE SPEED      | 6.2 mph (10 km/h)  |
| MINIMUM TURNING RADIUS | 3.98 m             |
| G.V.W.                 | 2,910 lb           |
|                        |                    |



# **RALLY ONE EFI**

# DIMENSIONS OVERALL LENGTH 114.6 in (291.2 cm) OVERALL HEIGHT (NO SUN TOP) 50.7 in (128.8 cm)

| OVERALL HEIGHT (NO SUN TOP)                              | 50.7 in (128.8 cm) |
|--|--------------------|
| OVERALL HEIGHT (WITH SUN TOP)                            | 74.02 in (188 cm)  |
| OVERALL WIDTH  | 53.5 in (136 cm)   |
| WHEELBASE  | 66.3 in (168.3 cm) |
| FRONT WHEEL TREAD  | 40.9 in (104 cm)   |
| REAR WHEEL TREAD   | 41.3 in (104.8 cm) |
| MINIMUM GROUND CLEARANCE                                 | 6 in (15.2 cm)     |
| CURB WEIGHT (WITH SUN TOP,<br>BATTERY, OIL AND GASOLINE) | 470 kg (1036 lb)   |

#### GENERAL

| FUEL TANK CAPACITY             | 5.2 U.S. gal (20 LITERS)                                     |
|--------------------------------|--|
| TIRE SIZE                      | 23x10.5-12 4-ply Monitor K389 (front) K500 (rear)            |
| SEATING CAPACITY               | Two persons  |
| AVAILABLE MODEL COLORS         | Glacier<br>Metallic: Coral Red, Bluestone, Evergreen, Carbon |
| AVAILABLE SEAT & SUN TOP COLOR | Black  |
| WARRANTY                       | Standard 2-year limited vehicle warranty                     |
| STANDARD RECEIVER HITCH        | 2"   |

#### ENGINE / DRIVE TRAIN

| ENGINE / DRIVE TRAIN |   |
|----------------------|---|
| ENGINE TYPE          | Yamaha-built, 402 cc, low-emission single cylinder<br>60° incline OHV           |
| LUBRICATION SYSTEM   | Splash-style positive oil lubrication   |
| OIL CAPACITY         | 1.16 U.S. quart, (1.1 liter, 1100 cc), Yamalube 10W-30                          |
| AIR CLEANER          | Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge |
| COOLING SYSTEM       | Forced air  |
| FUEL SYSTEM          | Electronic fuel injection   |
| STARTING SYSTEM      | Starter generator with pedal start system                                       |
| HORSEPOWER           | 3600 rpm (14.25 hp)   |
|                      |   |

#### CHASSIS

| CHASSIS                    | 1  |
|----------------------------|--|
| FRAME                      | HybriCore™ Chassis features a robotic welded<br>automotive ladder-style steel frame protected<br>with a multi-step full-immersion phosphate<br>treatment, electro-deposition epoxy-based coating,<br>and an electrostatic applied polyester/urethane<br>powder topcoat |
| BODY                       | Custom-formulated thermoplastic olefin painted with<br>a two-part top coat of high-luster automotive-grade<br>polyurethane   |
| STEERING                   | Self-compensating double reduction helical rack-and-pinion   |
| FRONT SUSPENSION           | Tru-Trak II™ fully independent automotive-style strut suspension   |
| REAR SUSPENSION            | Fully independent automotive-style strut suspension  |
| BRAKES                     | Self-adjusting mechanical, rear wheel drum brakes  |
| CARGO BED MAX LOAD         | 300 lb   |
| ROLLING TRAILER MAX WEIGHT | 800 lb   |
| MAX TONGUE WEIGHT          | 100 lb   |
| VEHICLE RATED CAPACITY     | 800 lb   |
| CARGO BED DIMENSIONS       | 33.2" L X 45.9" W x 11.9" H  |
| PERFORMANCE                |  |

#### PERFORMANCE

| MAX FORWARD SPEED      | 17.5 mph (28 km/h) |
|------------------------|--------------------|
| MAX REVERSE SPEED      | 13.1 mph (21km/h)  |
| MINIMUM TURNING RADIUS | 3.48 m             |
| G.V.W.                 | 1,708 lb           |

# RALLY TWO EFI

#### DIMENSIONS

| OVERALL LENGTH   | 122.6 in (311.3 cm) |
|--|---------------------|
| OVERALL HEIGHT (NO SUN TOP)                              | 50.7 in (128.8 cm)  |
| OVERALL HEIGHT (WITH SUN TOP)                            | 74.02 in (188 cm)   |
| OVERALL WIDTH  | 53.5 in (136 cm)    |
| WHEELBASE  | 77.3 in (196.3 cm)  |
| FRONT WHEEL TREAD  | 41.3 in (104.8 cm)  |
| REAR WHEEL TREAD   | 41.3 in (104.8 cm)  |
| MINIMUM GROUND CLEARANCE                                 | 6 in (15.2 cm)      |
| CURB WEIGHT (WITH SUN TOP,<br>BATTERY, OIL AND GASOLINE) | 501 kg (1105 lb)    |

#### GENERAL

| 5.2 US GAL (20 LITERS)                                       |
|--|
| 23x10.5-12 4-ply Monitor K389 (front) K500 (rear)            |
| Two persons  |
| Glacier<br>Metallic: Coral Red, Bluestone, Evergreen, Carbon |
| Black  |
| Standard 2-year limited vehicle warranty                     |
| 2"   |
|  |

#### ENGINE / DRIVE TRAIN

| ENGINE TYPE        | Yamaha-built, 402 cc, low-emission single cylinder<br>60° incline OHV           |
|--------------------|---|
| LUBRICATION SYSTEM | Splash-style positive oil lubrication   |
| OIL CAPACITY       | 1.16 U.S. quart (1.1 liter, 1100 cc), Yamalube 10W-30                           |
| AIR CLEANER        | Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge |
| COOLING SYSTEM     | Forced air  |
| FUEL SYSTEM        | Electronic fuel injection   |
| STARTING SYSTEM    | Starter generator with pedal start system                                       |
| HORSEPOWER         | 3600 rpm (14.25 hp)   |

#### CHASSIS

| LIASSIS                    |  |
|----------------------------|--|
| FRAME                      | HybriCore™ Chassis features a robotic welded<br>automotive ladder-style steel frame protected<br>with a multi-step full-immersion phosphate<br>treatment, electro-deposition epoxy-based coating,<br>and an electrostatic applied polyester/urethane<br>powder topcoat |
| BODY                       | Custom-formulated thermoplastic olefin painted with<br>a two-part top coat of high-luster automotive-grade<br>polyurethane   |
| STEERING                   | Self-compensating double reduction helical rack-and-pinion   |
| FRONT SUSPENSION           | Tru-Trak II™ fully independent automotive-style strut suspension   |
| REAR SUSPENSION            | Unit swing arm with DUAL RATE coil springs over<br>hydraulic shock absorbers   |
| BRAKES                     | Self-adjusting mechanical, front and rear wheel drum brakes  |
| CARGO BED MAX LOAD         | 800 lb   |
| ROLLING TRAILER MAX WEIGHT | 1,500 lb   |
| MAX TONGUE WEIGHT          | 150 lb   |
| VEHICLE RATED CAPACITY     | 1,500 lb   |
| CARGO BED DIMENSIONS       | 41.1" L X 45.9" W x 11.9" H  |

#### PERFORMANCE

| MAX FORWARD SPEED      | 17.5 mph (28 km/h) |
|------------------------|--------------------|
| MAX REVERSE SPEED      | 13.1 mph (21km/h)  |
| MINIMUM TURNING RADIUS | 3.98 m             |
| G.V.W.                 | 2,533 lb           |

# RALLY TWO AC

#### DIMENSIONS OVERALL LENGTH 122.6 in (311.3 cm) OVERALL HEIGHT (NO SUN TOP) 50.7 in (128.8 cm) OVERALL HEIGHT (WITH SUN TOP) 74.02 in (188 cm) OVERALL WIDTH 53.5 in (136 cm) WHEELBASE 77.3 in (196.3 cm) 41.3 in (104.8 cm) FRONT WHEEL TREAD REAR WHEEL TREAD 41.3 in (104.8 cm) MINIMUM GROUND CLEARANCE 6 in (15.2 cm) 676 kg (1490 lb) CURB WEIGHT (WITH SUN TOP)

#### GENERAL

| GENERAL                        |  |
|--------------------------------|--|
| TIRE SIZE                      | 23x10.5-12 4-ply Monitor K389 (front) K500 (rear)            |
| SEATING CAPACITY               | Two persons  |
| AVAILABLE MODEL COLORS         | Glacier<br>Metallic: Coral Red, Bluestone, Evergreen, Carbon |
| AVAILABLE SEAT & SUN TOP COLOR | Black  |
| WARRANTY                       | Standard 2-year limited vehicle warranty                     |
| STANDARD RECEIVER HITCH        | 2"   |

#### ENGINE / DRIVE TRAIN

| ENGINE / DRIVE TRAIN |   |
|----------------------|---|
| MOTOR                | 48-volt AC  |
| OUTPUT RATING        | 6.7 hp (5.0 kW)   |
| MOTOR CONTROL UNIT   | NEOS 350 amp AC controller by Toyota Industries Corporation |
| BATTERIES            | Standard: Eight 6-volt Trojan T-105 Batteries               |

#### CHASSIS

| FRAME                      | HybriCore <sup>™</sup> Chassis features a robotic welded<br>automotive ladder-style steel frame protected<br>with a multi-step full-immersion phosphate<br>treatment, electro-deposition epoxy-based coating<br>and an electrostatic applied polyester/urethane<br>powder topcoat |
|----------------------------|---|
| BODY                       | Custom-formulated thermoplastic olefin painted with<br>a two-part top coat of high-luster automotive-grade<br>polyurethane  |
| STEERING                   | Self-compensating double reduction helical rack-and-pinion  |
| FRONT SUSPENSION           | Tru-Trak II™ fully independent automotive-style strut suspension  |
| REAR SUSPENSION            | Unit swing arm with DUAL RATE coil springs over<br>hydraulic shock absorbers  |
| BRAKES                     | Self-adjusting mechanical, front and rear wheel drum brakes   |
| CARGO BED MAX LOAD         | 800 lb  |
| ROLLING TRAILER MAX WEIGHT | 1,500 lb  |
| MAX TONGUE WEIGHT          | 150 lb  |
| VEHICLE RATED CAPACITY     | 1,500 lb  |
| CARGO BED DIMENSIONS       | 41.1" L X 45.9" W x 11.9" H   |

#### PERFORMANCE

| MAX FORWARD SPEED      | 17.5 mph (28 km/h) |
|------------------------|--------------------|
| MAX REVERSE SPEED      | 6.2 mph (10 km/h)  |
| MINIMUM TURNING RADIUS | 3.98 m             |
| G.V.W.                 | 2,910 lb           |



## RALLY<sup>2+2</sup> EFI

#### DIMENSIONS OVERALL LENGTH 134.37 in (341.3 cm) 57.48 in (146 cm) OVERALL HEIGHT (NO SUN TOP) OVERALL HEIGHT (WITH SUN TOP) 77.20 in (196.1 cm) OVERALL WIDTH 53.54 in (136 cm) WHEELBASE 77.28 in (196.3 cm) FRONT WHEEL TREAD 41.26 in (104.8 cm) REAR WHEEL TREAD 41.26 in (104.8 cm) 5.94 in (15.1 cm) MINIMUM GROUND CLEARANCE

#### GENERAL

CURB WEIGHT

| FUEL TANK CAPACITY             | 5.2 US GAL (20 LITERS)  |
|--------------------------------|---|
| TIRE SIZE                      | 23x10.5-12 4-ply Monitor K389 (front) K500 (rear)                               |
| SEATING CAPACITY               | Four persons  |
| AVAILABLE MODEL COLORS         | Glacier<br>Mettallic: Coral Red, Bluestone, Cyan, Onyx, Carbon,<br>Matte: Titan |
| AVAILABLE SEAT & SUN TOP COLOR | Black   |
| WARRANTY                       | Standard 2-year limited vehicle warranty  |

610 kg (1345 lb)

#### ENGINE / DRIVE TRAIN

| ENGINE TYPE        | Yamaha-built 402 cc, Low Emission Single Cylinder<br>60deg Incline OHV          |
|--------------------|---|
| LUBRICATION SYSTEM | Splash-style positive oil lubrication   |
| OIL CAPACITY       | 1.16 U.S. quart (1.1 liter, 1100 cc), Yamalube 10W-30                           |
| AIR CLEANER        | Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge |
| COOLING SYSTEM     | Forced air  |
| FUEL SYSTEM        | Electronic fuel injection   |
| STARTING SYSTEM    | Starter generator with pedal start system                                       |
| HORSEPOWER         | 3600 rpm (14.25 hp)   |

#### CHASSIS

| FRAME  | HybriCore <sup>™</sup> Chassis features a robotic welded<br>automotive ladder-style steel frame protected with<br>a multi-step full-immersion phosphate treatment,<br>electro-deposition epoxy-based coating, and an<br>electrostatic applied polyester/urethane powder<br>topcoat |
|--|--|
| BODY   | Custom-formulated thermoplastic olefin painted with<br>a two-part top coat of high-luster automotive-grade<br>polyurethane   |
| STEERING   | Self-compensating double reduction helical rack-and-pinion   |
| FRONT SUSPENSION                                       | Tru-Trak II™ fully independent automotive-style strut suspension   |
| REAR SUSPENSION  | Unit swing arm with DUAL RATE coil springs over<br>hydraulic shock absorbers   |
| BRAKES   | Mechanical, 4-wheel drum   |
| FLIP-SEAT CARGO BED MAX LOAD                           | 250 lb   |
| MAXIMUM COMBINED LOAD WITH TWO<br>PASSENGERS AND CARGO | 400 lb   |
| VEHICLE RATED CAPACITY                                 | 1,000 lb   |

#### PERFORMANCE

| MAX FORWARD SPEED      | 15 mph (24.1 km/h) |
|------------------------|--------------------|
| MAX REVERSE SPEED      | 11.2 mph (18 km/h) |
| MINIMUM TURNING RADIUS | 3.98 m             |
| G.V.W.                 | 2,717 lb           |

# RALLY<sup>2+2</sup> AC

#### DIMENSIONS

| OVERALL LENGTH                | 134.37 in (341.3 cm) |
|-------------------------------|----------------------|
| OVERALL HEIGHT (NO SUN TOP)   | 57.48 in (146 cm)    |
| OVERALL HEIGHT (WITH SUN TOP) | 77.20 in (196.1 cm)  |
| OVERALL WIDTH                 | 53.54 in (136 cm)    |
| WHEELBASE                     | 77.28 in (196.3 cm)  |
| FRONT WHEEL TREAD             | 41.26 in (104.8 cm)  |
| REAR WHEEL TREAD              | 41.26 in (104.8 cm)  |
| MINIMUM GROUND CLEARANCE      | 5.98 in (15.2 cm)    |
| CURB WEIGHT                   | 779 kg (1717 lb)     |

#### GENERAL

| 23x10.5-12 4-ply Monitor K389 (front) K500 (rear)                               |  |
|---|--|
| Four persons  |  |
| Glacier<br>Mettallic: Coral Red, Bluestone, Cyan, Onyx, Carbon,<br>Matte: Titan |  |
| Black   |  |
| Standard 2-year limited vehicle warranty  |  |
|   |  |

#### ENGINE / DRIVE TRAIN

| MOTOR              | 48-volt AC   |
|--------------------|--|
| OUTPUT RATING      | 6.7 hp (5.0 kW for 60 minutes)                                 |
| MOTOR CONTROL UNIT | NEOS 350 amp AC controller by Toyota Industries<br>Corporation |
| BATTERIES          | Standard: Eight 6-volt Trojan T-105 Batteries                  |

#### CHASSIS

| FRAME                      | HybriCore <sup>™</sup> Chassis features a robotic welded<br>automotive ladder-style steel frame protected with<br>a multi-step full-immersion phosphate treatment,<br>electro-deposition epoxy-based coating, and an<br>electrostatic applied polyester/urethane powder<br>topcoat |
|----------------------------|--|
| BODY                       | Custom-formulated thermoplastic olefin painted with<br>a two-part top coat of high-luster automotive-grade<br>polyurethane   |
| STEERING                   | Self-compensating double reduction helical rack-and-pinion   |
| FRONT SUSPENSION           | Tru-Trak II™ fully independent automotive-style strut suspension   |
| REAR SUSPENSION            | Unit swing arm with DUAL RATE coil springs over<br>hydraulic shock absorbers   |
| BRAKES                     | Mechanical, 4-wheel drum   |
| CARGO BED MAX LOAD         | 250 lb   |
| ROLLING TRAILER MAX WEIGHT | 1,200 lb   |
| MAX TONGUE WEIGHT          | 400 lb   |
| VEHICLE RATED CAPACITY     | 1,000 lb   |
| CARGO BED DIMENSIONS       | 41.1" L x 45.9" W x 11.9" H  |
|                            |  |

#### PERFORMANCE

| MAX FORWARD SPEED      | 15 mph (24.1 km/h) |
|------------------------|--------------------|
| MAX REVERSE SPEED      | 6.2 mph (10 km/h)  |
| MINIMUM TURNING RADIUS | 3.98 m             |
| G.V.W.                 | 2,345 lb           |
| G.V.W.                 | 2,345 lb           |

## SUPER HAULER QUITECH EFI

| DIMENSIONS                                      |                  |
|---|------------------|
| OVERALL LENGTH                                  | 142.9 (363 cm)   |
| OVERALL WIDTH                                   | 53.5 in (136 cm) |
| OVERALL HEIGHT (NO SUN TOP)                     | 48.8 in (124 cm) |
| WHEELBASE                                       | 98 in (249 cm)   |
| FRONT WHEEL TREAD                               | 34.6 in (88 cm)  |
| REAR WHEEL TREAD                                | 39.8 in (101 cm) |
| MINIMUM GROUND CLEARANCE                        | 6.3 in (16 cm)   |
| CURB WEIGHT (WITH BATTERY, OIL<br>AND GASOLINE) | 447 kg (985 lb)  |
| FLOOR BOARD HEIGHT                              | 13.4 in (34 cm)  |
|   |                  |

#### GENERAL

| GENERAL                 |  |  |
|-------------------------|--|--|
| FUEL TANK CAPACITY      | 22 liters (5.8 gallons)                  |  |
| TIRE SIZE               | 205/65-10 4-PLY                          |  |
| SEATING CAPACITY        | Two persons                              |  |
| AVAILABLE MODEL COLORS  | Glacier                                  |  |
| AVAILABLE SEAT COLORS   | Standard: Black   Optional: Stone        |  |
| AVAILABLE SUN TOP COLOR | Standard: Black                          |  |
| WARRANTY                | Standard 2-year limited vehicle warranty |  |

#### ENGINE / DRIVE TRAIN / POWER SUPPLY

| ENGINE / DRIVE TRAIN / POWER SUPPLY |   |
|-------------------------------------|---|
| ENGINE TYPE                         | Yamaha-built, 357 cc, low-emission single cylinder<br>60° incline OHV           |
| LUBRICATION SYSTEM                  | Splash-style positive oil lubrication   |
| OIL CAPACITY                        | 1 U.S. quart (1 liter, 1000 cc)   |
| AIR CLEANER                         | Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge |
| COOLING SYSTEM                      | Forced air  |
| FUEL SYSTEM                         | Electronic Fuel Injection   |
| STARTING SYSTEM                     | Starter generator with pedal start system                                       |

#### CHASSIS

| FRAME            | HybriCore <sup>™</sup> Chassis features a robotic welded<br>automotive ladder-style steel frame protected<br>with a multi-step full-immersion phosphate<br>treatment, electro-deposition epoxy-based coating,<br>and an electrostatic applied polyester/urethane<br>powder topcoat |
|------------------|--|
| BODY             | Mold-in Polypropylene for Glacier color  |
| STEERING         | Self-compensating double reduction helical rack-and-pinion   |
| FRONT SUSPENSION | Tru-Trak II™ fully independent automotive-style strut suspension   |
| REAR SUSPENSION  | Fully independent automotive-style strut suspension  |
| BRAKES           | Self-adjusting mechanical, rear wheel drum brakes  |
| BUMPERS          | Front and rear 5 mph energy-absorbing bumpers  |

# CARGO BED SIZE LENGTH 70 in (177.9 cm) WIDTH 47 in (119.4 cm) HEIGHT 7.8 in (20 cm) CARGO BED CAPACITY 800 lb

| ļ | PERFORMANCE            |                  |
|---|------------------------|------------------|
|   | MAX SPEED ADJUSTABLE   | 19 mph (31 km/h) |
|   | MINIMUM TURNING RADIUS | 14.4 ft (4.4 m)  |

# SUPER HAULER POWERTECH AC

#### DIMENSIONS

| OVERALL LENGTH              | 142.9 (363 cm)   |
|-----------------------------|------------------|
| OVERALL WIDTH               | 53.5 in (136 cm) |
| OVERALL HEIGHT (NO SUN TOP) | 48.8 in (124 cm) |
| WHEELBASE                   | 98 in (249 cm)   |
| FRONT WHEEL TREAD           | 34.6 in (88 cm)  |
| REAR WHEEL TREAD            | 38.2 in (97 cm)  |
| MINIMUM GROUND CLEARANCE    | 5.5 in (14 cm)   |
| CURB WEIGHT (WITH BATTERY)  | 594 kg (1310 lb) |
| FLOOR BOARD HEIGHT          | 13 in (33 cm)    |

#### GENERAL

| TIRE SIZE               | 205/65-10 4-PLY                          |
|-------------------------|--|
| SEATING CAPACITY        | Two persons                              |
| AVAILABLE MODEL COLORS  | Glacier                                  |
| AVAILABLE SEAT COLORS   | Standard: Black   Optional: Stone        |
| AVAILABLE SUN TOP COLOR | Standard: Black                          |
| WARRANTY                | Standard 2-year limited vehicle warranty |

#### ENGINE / DRIVE TRAIN

| MOTOR              | 48-volt AC   |
|--------------------|--|
| OUTPUT RATING      | 6.7 hp (5.0 kW)  |
| MOTOR CONTROL UNIT | NEOS 350 amp AC controller by Toyota Industries<br>Corporation                               |
| BATTERIES          | Standard: Six 8-volt Trojan T-875 Batteries<br>Optional: Eight 6-volt Trojan T-105 Batteries |

#### CHASSIS

| FRAME            | HybriCore <sup>™</sup> Chassis features a robotic welded<br>automotive ladder-style steel frame protected<br>with a multi-step full-immersion phosphate<br>treatment, electro-deposition epoxy-based coating,<br>and an electrostatic applied polyester/urethane<br>powder topcoat |
|------------------|--|
| BODY             | Mold-in Polypropylene for Glacier color  |
| STEERING         | Self-compensating double reduction helical rack-and-pinion   |
| FRONT SUSPENSION | Tru-Trak II™ fully independent automotive-style strut suspension   |
| REAR SUSPENSION  | Unit swing arm with coil springs over hydraulic shock absorbers  |
| BRAKES           | Self-adjusting mechanical, rear wheel drum brakes  |
| BUMPERS          | Front and rear 5 mph energy-absorbing bumpers  |

#### CARGO BED SIZE

| LENGTH             | 46.4 in (177.9 cm) |
|--------------------|--------------------|
| WIDTH              | 47 in (119.4 cm)   |
| HEIGHT             | 7.8 in (20 cm)     |
| CARGO BED CAPACITY | 800 lb             |

#### PERFORMANCE

| MAX SPEED ADJUSTABLE   | 19 mph (30.5 km/h) |
|------------------------|--------------------|
| MINIMUM TURNING RADIUS | 14.4 ft (4.4 m)    |

# **CONCIERGE 4 QUITECH EFI**

#### DIMENSIONS

| OVERALL LENGTH   | 127.2 (323 cm)   |
|--|------------------|
| OVERALL WIDTH  | 47.2 in (120 cm) |
| OVERALL HEIGHT (NO SUN TOP)                              | 48.8 in (124 cm) |
| WHEELBASE  | 98 in (249 cm)   |
| FRONT WHEEL TREAD  | 34.6 in (88 cm)  |
| REAR WHEEL TREAD   | 38.2 in (97 cm)  |
| MINIMUM GROUND CLEARANCE                                 | 5.9 in (15 cm)   |
| CURB WEIGHT (WITH SUN TOP,<br>BATTERY, OIL AND GASOLINE) | 458 kg (1010 lb) |
| FLOOR BOARD HEIGHT                                       | 13.4 in (34 cm)  |

#### GENERAL

| FUEL TANK CAPACITY      | 22 liters (5.8 gallons)   |
|-------------------------|---|
| TIRE SIZE               | 205/65-10 4-PLY   |
| SEATING CAPACITY        | Four persons  |
| AVAILABLE MODEL COLORS  | In-Mold: Glacier, Metallic: Peridot, Onyx, Coral Red,<br>Carbon, Matte: Titan, Arctic Drift |
| AVAILABLE SEAT COLORS   | Standard: Stone   Optional: Black   |
| AVAILABLE SUN TOP COLOR | Stone, Black, White   |
| WARRANTY                | Standard 2-year limited vehicle warranty  |

#### ENGINE / DRIVE TRAIN / POWER SUPPLY

| ENGINE TYPE        | Yamaha-built, 357 cc, low-emission single cylinder 60° incline OHV   |
|--------------------|--|
| LUBRICATION SYSTEM | Splash-style positive oil lubrication  |
| OIL CAPACITY       | 1 U.S. quart (1 liter, 1000 cc)  |
| AIR CLEANER        | Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge  |
| COOLING SYSTEM     | Forced air   |
| FUEL SYSTEM        | Electronic Fuel Injection  |
| STARTING SYSTEM    | Starter generator with pedal start system  |
| CHASSIS            |  |
| FRAME              | HybriCore™ Chassis features a robotic welded<br>automotive ladder-style steel frame protected<br>with a multi-step full-immersion phosphate<br>treatment, electro-deposition epoxy-based coating,<br>and an electrostatic applied polyester/urethane<br>powder topcoat |
| BODY               | Mold-in Polypropylene for Glacier color.<br>Custom-formulated thermoplastic olefin painted with<br>a two-part top coat of high-luster automotive-grade<br>polyurethane   |
| STEERING           | Self-compensating double reduction helical rack-and-pinion   |
| FRONT SUSPENSION   | Tru-Trak II™ fully independent automotive-style<br>strut suspension  |
| REAR SUSPENSION    | Fully independent automotive-style strut suspension  |
| BRAKES             | Self-adjusting mechanical, rear wheel drum brakes  |
| BUMPERS            | Front and rear 5 mph energy-absorbing bumpers  |

#### PERFORMANCE

| MAX FORWARD SPEED      | 19 mph (31 km/h) |
|------------------------|------------------|
| MINIMUM TURNING RADIUS | 14.4 ft (4.4 m)  |

# **CONCIERGE 4 POWERTECH AC**

#### DIMENSIONS

| OVERALL LENGTH                                | 127.2 (323 cm)    |
|---|-------------------|
| OVERALL WIDTH                                 | 47.2 in (120 cm)  |
| OVERALL HEIGHT (NO SUN TOP)                   | 48.8 in (124 cm)  |
| WHEELBASE                                     | 98 in (249 cm)    |
| FRONT WHEEL TREAD                             | 34.6 in (88 cm)   |
| REAR WHEEL TREAD                              | 38.2 in (97 cm)   |
| MINIMUM GROUND CLEARANCE                      | 5.5 in (14 cm)    |
| DRY WEIGHT (WITH SUN TOP,<br>FLOODED BATTERY) | 564 kg (1,243 lb) |
| FLOOR BOARD HEIGHT                            | 13 in (33 cm)     |

#### GENERAL

| TIRE SIZE               | 205/65-10 4-PLY   |
|-------------------------|---|
| SEATING CAPACITY        | Four persons  |
| AVAILABLE MODEL COLORS  | In-Mold: Glacier, Metallic: Peridot, Onyx, Coral Red,<br>Carbon, Matte: Titan, Arctic Drift |
| AVAILABLE SEAT COLORS   | Standard: Stone   Optional: Black   |
| AVAILABLE SUN TOP COLOR | Stone, Black, White   |
| WARRANTY                | Standard 2-year limited vehicle warranty  |

#### ENGINE / DRIVE TRAIN

| MOTOR              | 48-volt AC   |
|--------------------|--|
| OUTPUT RATING      | 6.7 hp (5.0 kW)  |
| MOTOR CONTROL UNIT | NEOS 350 amp AC controller by Toyota Industries<br>Corporation   |
| BATTERIES          | Standard: Six 8-volt Trojan T-875 Batteries<br>Optional: Eight 6-volt Trojan T-105 Batteries   |
| CHASSIS            |  |
| FRAME              | HybriCore <sup>™</sup> Chassis features a robotic welded<br>automotive ladder-style steel frame protected<br>with a multi-step full-immersion phosphate<br>treatment, electro-deposition epoxy-based coating,<br>and an electrostatic applied polyester/urethane<br>powder topcoat |
| BODY               | Mold-in Polypropylene for Glacier color.<br>Custom-formulated thermoplastic olefin painted with<br>a two-part top coat of high-luster automotive-grade<br>polyurethane   |
| STEERING           | Self-compensating double reduction helical rack-and-pinion   |
| FRONT SUSPENSION   | Tru-Trak II <sup>™</sup> fully independent automotive-style strut suspension   |
| REAR SUSPENSION    | Unit swing arm with coil springs over hydraulic shock absorbers  |
| BRAKES             | Self-adjusting mechanical, rear wheel drum brakes  |
| BUMPERS            | Front and rear 5 mph energy-absorbing bumpers  |

#### PERFORMANCE

| MAX FORWARD SPEED      | 19 mph (31 km/h) |
|------------------------|------------------|
| MINIMUM TURNING RADIUS | 14.4 ft (4.4 m)  |

# **CONCIERGE 6 QUITECH EFI**

#### DIMENSIONS 161 (409 cm) OVERALL LENGTH OVERALL WIDTH 47.3 in (120 cm) OVERALL HEIGHT (NO SUN TOP) 48.8 in (124 cm) WHEELBASE 131.9 in (335 cm) FRONT WHEEL TREAD 34.6 in (88 cm) REAR WHEEL TREAD 38.2 in (97 cm) MINIMUM GROUND CLEARANCE 5.9 in (15 cm) CURB WEIGHT (WITH SUN TOP, BATTERY, OIL AND GASOLINE) 540 kg (1190 lb) FLOOR BOARD HEIGHT 13.4 in (34 cm)

#### GENERAL

| FUEL TANK CAPACITY      | 22 liters (5.8 gallons)   |
|-------------------------|---|
| TIRE SIZE               | 205/65-10 4-PLY   |
| SEATING CAPACITY        | Six persons   |
| AVAILABLE MODEL COLORS  | In-Mold: Glacier, Metallic: Peridot, Onyx, Coral Red,<br>Carbon, Matte: Titan, Arctic Drift |
| AVAILABLE SEAT COLORS   | Standard: Stone   Optional: Black   |
| AVAILABLE SUN TOP COLOR | Stone, Black, White   |
| WARRANTY                | Standard 2-year limited vehicle warranty  |

#### ENGINE / DRIVE TRAIN / POWER SUPPLY

| ENGINE TYPE        | Yamaha-built, 357 cc, low-emission single cylinder<br>60° incline OHV           |
|--------------------|---|
| LUBRICATION SYSTEM | Splash-style positive oil lubrication   |
| OIL CAPACITY       | 1 U.S. quart (1 liter, 1000 cc)   |
| AIR CLEANER        | Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge |
| COOLING SYSTEM     | Forced air  |
| FUEL SYSTEM        | Electronic Fuel Injection   |
| STARTING SYSTEM    | Starter generator with pedal start system                                       |
|                    |   |
| CHASSIS            |   |

| CIIA3313         |  |
|------------------|--|
| FRAME            | HybriCore <sup>™</sup> Chassis features a robotic welded<br>automotive ladder-style steel frame protected<br>with a multi-step full-immersion phosphate<br>treatment, electro-deposition epoxy-based coating,<br>and an electrostatic applied polyester/urethane<br>powder topcoat |
| BODY             | Mold-in Polypropylene for Glacier color.<br>Custom-formulated thermoplastic olefin painted with<br>a two-part top coat of high-luster automotive-grade<br>polyurethane   |
| STEERING         | Self-compensating double reduction helical rack-and-pinion   |
| FRONT SUSPENSION | Tru-Trak II™ fully independent automotive-style strut suspension   |
| REAR SUSPENSION  | Fully independent automotive-style strut suspension  |
| BRAKES           | Self-adjusting mechanical, rear wheel drum brakes  |
| BUMPERS          | Front and rear 5 mph energy-absorbing bumpers  |

#### PERFORMANCE

| MAX FORWARD SPEED      | 19 mph (31 km/h) |
|------------------------|------------------|
| MINIMUM TURNING RADIUS | 18.7 (5.7 m)     |

# **CONCIERGE 6 POWERTECH AC**

#### DIMENSIONS

| OVERALL LENGTH                                 | 161 in (409 cm)   |
|--|-------------------|
| OVERALL WIDTH                                  | 47.2 in (120 cm)  |
| OVERALL HEIGHT (NO SUN TOP)                    | 48.8 in (124 cm)  |
| WHEELBASE                                      | 131.9 in (335 cm) |
| FRONT WHEEL TREAD                              | 34.6 in (88 cm)   |
| REAR WHEEL TREAD                               | 38.2 in (97 cm)   |
| MINIMUM GROUND CLEARANCE                       | 5.5 in (14 cm)    |
| CURB WEIGHT (WITH SUN TOP,<br>FLOODED BATTERY) | 628 kg (1384 lb)  |
| FLOOR BOARD HEIGHT                             | 13 in (33 cm)     |

#### GENERAL

| TIRE SIZE               | 205/65-10 4-PLY   |
|-------------------------|---|
| SEATING CAPACITY        | Six persons   |
| AVAILABLE MODEL COLORS  | In-Mold: Glacier, Metallic: Peridot, Onyx, Coral Red,<br>Carbon, Matte: Titan, Arctic Drift |
| AVAILABLE SEAT COLORS   | Standard: Stone   Optional: Black   |
| AVAILABLE SUN TOP COLOR | Stone, Black, White   |
| WARRANTY                | Standard 2-year limited vehicle warranty  |

#### ENGINE / DRIVE TRAIN

| MOTOR              | 48-volt AC   |
|--------------------|--|
| OUTPUT RATING      | 6.7 hp (5.0 kW)  |
| MOTOR CONTROL UNIT | NEOS 350 amp AC controller by Toyota Industries<br>Corporation                               |
| BATTERIES          | Standard: Six 8-volt Trojan T-875 Batteries<br>Optional: Eight 6-volt Trojan T-105 Batteries |

#### CHASSIS

| FRAME            | HybriCore <sup>™</sup> Chassis features a robotic welded<br>automotive ladder-style steel frame protected<br>with a multi-step full-immersion phosphate<br>treatment, electro-deposition epoxy-based coating,<br>and an electrostatic applied polyester/urethane<br>powder topcoat |
|------------------|--|
| BODY             | Mold-in Polypropylene for Glacier color.<br>Custom-formulated thermoplastic olefin painted with<br>a two-part top coat of high-luster automotive-grade<br>polyurethane   |
| STEERING         | Self-compensating double reduction helical rack-and-pinion   |
| FRONT SUSPENSION | Tru-Trak II™ fully independent automotive-style strut suspension   |
| REAR SUSPENSION  | Unit swing arm with coil springs over hydraulic shock absorbers  |
| BRAKES           | Self-adjusting mechanical, rear wheel drum brakes  |
| BUMPERS          | Front and rear 5 mph energy-absorbing bumpers  |

#### PERFORMANCE

| MAX FORWARD SPEED      | 19 mph (31 km/h) |
|------------------------|------------------|
| MINIMUM TURNING RADIUS | 18.7 ft (5.7 m)  |



## **SEE MORE ONLINE!**

Scan now to view warranty information.





1270 Chastain Road NW Kennesaw, Georgia 30144 1.866.747.4027 | YamahaGolfCar.com



This document contains many of the valuable trademarks and service marks owned and used by Yamaha throughout the world. The document may also contain references to other company, brand, and product names that may be the trademarks/service marks of their respective owners. Unless noted otherwise, these company, brand, and product names are used herein for identification purposes only, and reference to any names, marks, products, or services of third parties do not constitute or imply endorsement, sponsorship, or recommendation of the third party or the product or services. Products and specifications are subject to change without notice.