

HARD WORK MADE EASY

ENGINES • PUMPS • GENERATORS



LIFAN

ENGINES • PUMPS • GENERATORS

Unbelievable Value.

www.lifan.co.nz

LIFAN

ENGINES • PUMPS • GENERATORS

ENGINES

LIFAN have a range of compact, lightweight engines to suit a variety of applications. Long lasting in both domestic and industrial environments.

RELIABILITY

- Each powerful engine has an air-cooled, 4-stroke Overhead Valve design for fast, easy starts and long-term reliability.

DURABLE CONSTRUCTION

- The lightweight aluminium crankcase comes with a cast iron cylinder liner making these LIFAN engines tough and long lasting. Ball-bearing main bearings means proven reliability.

QUIET & POWERFUL

- LIFAN's Quiet Pack muffler design minimizes noise to maximise your comfort.

'OIL DEFENCE'

- Low oil shut down device protects your investment by stopping the engine if oil levels are too low.

STARTING SYSTEMS

- A choice of recoil and electric starting systems.



160F-Q Engine



188F-Q Engine



LIFAN
12 MONTH INDUSTRIAL WARRANTY

LIFAN HORIZONTAL Shaft Engines 4 - 13hp

MODEL No. 160F-Q 168F-Q 168F-QE 168F2-S 168F2-R 177F-Q 188F-Q 188F-QE

PRICE (Incl.GST) \$349 \$399 \$499 \$499 \$649 \$649 \$749 \$849

ENGINE SPECS HORIZONTAL Shaft Engines 4 - 13hp

ENGINE SPECS	160F-Q	168F-Q	168F-QE	168F2-S	168F2-R	177F-Q	188F-Q	188F-QE
Horsepower @3600 rpm	4	5.5	5.5	6.5	6.5	9	13	13
Type	OHV	OHV	OHV	OHV	OHV	OHV	OHV	OHV
Shaft	3/4"	3/4"	3/4"	20mm	20mm	1"	1"	1"
Low Oil Shutdown	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Starting	Recoil	Recoil	Recoil/Elec	Recoil	Recoil	Recoil	Recoil	Recoil/Elec
Ignition Type	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
Fuel Capacity	2.5L	3.6L	3.6L	3.6L	3.6L	6L	6.5L	6.5L
Cast Iron Bore	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Ball Bearing Mains	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2:1 Reduction	No	No	No	No	Yes (CLUTCH)	No	No	No

DIMENSIONS

L x W x H - mm 305 x 341 x 318 330 x 362 x 335 324 x 362 x 335 354 x 362 x 335 324 x 362 x 335 398 x 430 x 410 423 x 450 x 443 423 x 450 x 443

ENGINE PERFORMANCE

ENGINE PERFORMANCE	160F-Q	168F-Q	168F-QE	168F2-S	168F2-R	177F-Q	188F-Q	188F-QE
Maximum Torque	6.7 N.m	10.9 N.m	11N.m	11N.m	22N.m	15.5N.m	23N.m	23N.m
Max Torque RPM	3000	2500	3000	3000	1500	2500	2500	2500

PERFORMANCE GUARANTEED
parkland

Distributed by Parkland Products Ltd. 322 Rosedale Road, Albany, Auckland 0632.
www.lifan.co.nz | info@parkland.co.nz | 0800 807 333

LIFAN

ENGINES • PUMPS • GENERATORS

WATER PUMPS

LIFAN have a range of compact, lightweight pumps to move water fast and efficiently. They are long lasting in both domestic and industrial environments.

RELIABILITY

- ▶ The pumps are powered by 4-stroke Overhead Valve LIFAN engines for fast, easy starts and long-term reliability.

'OIL DEFENCE'

- ▶ A low oil shut down device protects your investment by stopping the engine if oil levels are too low.

FULL FRAME

- ▶ The full frame ensures maximum protection in industrial environments.

PORTABILITY

- ▶ Small, compact & lightweight designs mean LIFAN pumps are an easy, one-person carry.

DURABLE CONSTRUCTION

- ▶ Heavy Duty cast iron impellers mean these pumps can cope with the muddiest water.

QUIET OPERATION

- ▶ LIFAN's Quiet Pack muffler design minimizes noise to maximise your comfort.

FITTINGS

- ▶ They come complete with strainer and all fittings to connect to your hose.

WARRANTY

- ▶ Each LIFAN pump comes with a comprehensive 12 month industrial warranty.


50ZB50-FQ Pump



LIFAN
12 MONTH INDUSTRIAL WARRANTY



2" / 3" / 4" Water Transfer Pumps for farming, pond to pond, clearing flood water and emergency situations.



LIFAN WATER PUMPS

MODEL No.	50ZB50-FQ	80ZB30-4.8Q	80WG	100ZB26-5.8Q
PRICE (Incl.GST)	\$499	\$599	\$799	\$899
ENGINE				
Horsepower	7	6.5	6.5	9
Low Oil Shutdown	Yes	Yes	Yes	Yes
Starting	Recoil	Recoil	Recoil	Recoil
PUMP				
Inlet and Outlet I/D	2.5/2"	3"	3"	4"
Max Water Lift (Metres)	50	30	30	26
Suction Height (Metres)	7.5	6	8	5
Max Pump Delivery	166LPM	800LPM	1100LPM	1300LPM
DIMENSIONS				
Length - mm	550	500	560	670
Width - mm	395	370	450	440
Height - mm	405	465	455	540
Weight - kg	25	30	36	47
FEATURES				
Impeller Type	Cast Iron	Cast Iron	Cast Iron	Cast Iron

50ZB50-FQ Pump



80WG Pump



100ZB26-5.8Q Pump



PERFORMANCE GUARANTEED
parkland

Distributed by Parkland Products Ltd. 322 Rosedale Road, Albany, Auckland 0632.
www.lifan.co.nz | info@parkland.co.nz | 0800 807 333

LIFAN

ENGINES • PUMPS • GENERATORS

GENERATORS

Heavy-duty construction means these models can handle the toughest industrial environments. High horsepower generator output means plenty of power for demanding jobs.

QUALITY ENGINE

- ▶ Each generator is powered by a state-of-the-art LIFAN engine - easy starting and very reliable. The full frame delivers maximum protection in industrial environments.

'OIL DEFENCE'

- ▶ Low oil shut down device protects your investment by stopping the engine if oil levels are too low.

QUIET OPERATION

- ▶ LIFAN's Quiet Pack muffler design minimizes noise to maximise your comfort.

FUEL EFFICIENT

- ▶ From small tank, fuel-efficient models to those with large capacity tanks delivering extended running time. Maximum power from minimum fuel and oil consumption.

WARRANTY

- ▶ Each LIFAN generator comes with a comprehensive 12 month industrial warranty.

5GF-4R Generator



LIFAN

**12 MONTH
INDUSTRIAL
WARRANTY**



REMOTE START
Available on all R-Spec Models

LIFAN GENERATORS - 2kVA to 5.5 KVA

MODEL No.	LF1000	2GF-3	2.8GF-3	2.8GF-4R	5GF-3	5GF-4R
PRICE (Incl.GST)	\$699	\$749	\$849	\$949	\$1,299	\$1,499
ENGINE SPECS						
Engine	1.8hp	6.5hp	8hp	8hp	13hp	13hp
Low Oil Shutdown	Yes	Yes	Yes	Yes	Yes	Yes
Fuel Capacity	3.5L	15L	25L	25L	25L	25L
Continuous Operation	4hr	13hr	13hr	13hr	9hr	9hr
Starting	Recoil	Recoil	Recoil	Elec/Recoil	Recoil	Elec/Recoil
Remote Start				R▶		R▶
GENERATOR SPECS						
Generator	220/230V	230V	230V	230V	230V	230V
Frequency	50/60HZ	50HZ	50HZ	50HZ	50HZ	50HZ
Rated KVA Output	0.85	2	2.8	2.8	5	5
Max KVA Output	1.0	2.2	3.1	3.1	5.5	5.5
DIMENSIONS						
Length - mm	460	590	680	680	680	680
Width - mm	256	430	510	510	510	510
Height - mm	405	435	540	540	540	540
Weight - kg	15kg	45kg	68kg	68kg	83kg	83kg
FEATURES						
Auto Voltage Regulator	Yes	Yes	Yes	Yes	Yes	Yes

2GF-3 Generator



5GF-4R Generator



PERFORMANCE GUARANTEED

parkland

Distributed by Parkland Products Ltd. 322 Rosedale Road, Albany, Auckland 0632.
www.lifan.co.nz | info@parkland.co.nz | 0800 807 333

LIFAN

ENGINES • PUMPS • GENERATORS

*Reliable and easy to start every time.
LIFAN Engines, Pumps & Generators are designed & built to the most exacting standards.*

With LIFAN, you get a quality product at a great price. You also get the after sales support you need, fully backed by the manufacturer's 12 month industrial warranty.

Importer Parkland Products Ltd and dealers throughout the country provide peace of mind parts and service.

So for a hard working, reliable industrial engine, pump or generator, look no further than LIFAN.

Perfect for customers demanding exceptional value.



Lifan's range of pumps, generators and engines are not only good value, they are also good quality.

From time to time however, a manufacturer's fault can occur. Parkland Products Ltd (Parkland), New Zealand's official Lifan distributor, provides a 12 Month Warranty to original purchasers of new Lifan products bought from Parkland or Parkland Authorised Lifan dealers in New Zealand.

The warranty covers the repair or replacement of any part found to be defective in material and/or workmanship provided that it is within 12 months of the date of purchase, that you are the original purchaser, and you are able to provide proof of purchase including date, model and serial number. This warranty is not transferable.

The 12 Month Warranty does NOT cover:

- Fair wear and tear including aging, discolouration, rust of paint and coating.
- Service work carried out by anyone without Parkland's expressed authorisation.
- Product that has been subject to misuse, neglect, negligence, or any accident or damage suffered as a result thereof, or has been modified in any way.
- Any oversight or error in periodical maintenance or improper storage.
- Service requirements for normal and regular maintenance including lubricants, tuning, and adjustments.
- Repairs made necessary by normal wear, dirt, abrasives, moisture, rust, corrosion, varnish or other conditions.
- Maintenance caused by normal wear, or repairs to the equipment caused by lack of maintenance, including lack of lubrication or incorrect lubrication.
- Work to update or improve the machine.
- Damage or seizure of the product due to incorrect engine tuning or failure resulting from the use of incorrect fuel/oil mix for the engine.
- Consumable and wear items; damage to these items being beyond the manufacturer's control.
- Misuse of any item being used outside the manufacturer's specification resulting in damage.
- Damage caused by continued operation of the pump, engine, generator or related equipment after it is known to be defective.
- Any indirect or consequential loss, damage, injury or expense arising from any defect or malfunction of Lifan product(s), including rental charges, loss or damage to personal property, or loss of revenue.
- Rental of another machine or related equipment while repairs are in progress. Transportation costs for equipment and/or parts. Telephone, facsimile and/or other related communication expenses.
- Any Lifan product where the ownership has changed - it is not possible to transfer a warranty.